

Publications 1975 – 1999

1. Adam,A., Endres,M., Sirrenberg,C., Lottspeich,F., Neupert,W. & Brunner,M. Tim9, a new component of the Tim22.54 translocase in mitochondria. *EMBO J.* **18**, 313-319 (1999).
2. Ahrens,R., Ott,M., Ritter,A., Hoschutzky,H., Buhler,T., Lottspeich,F., Boulnois,G.J., Jann,K. & Hacker,J. Genetic-Analysis of the Gene-Cluster Encoding Nonfimbrial Adhesin-I from An Escherichia-Coli Uropathogen *Infection and Immunity* **61**, 2505-2512 (1993).
3. Albert,I., Rutherford,A.W., Grav,H., Kellermann,J. & Michel,H. The 18 kDa cytochrome c553 from *Heliobacterium gestii*: Gene sequence and characterization of the mature protein. *Biochemistry* **37**, 9001-9008 (1998).
4. Ammer,H., Wöhl,T. & Lottspeich,F. "In-gel"-hybridization with genomic DNA-probes. *In: Elektrophorese Forum 1991 (Radola, B. J., Ed.)* 92-95 (1991).
5. Andre,E., Lottspeich,F., Schleicher,M. & Noegel,A. Severin, gelsolin and villin share a homologous sequence in regions presumed to contain F-actin severing domains. *J. Biol. Chem.* **263**, 722-727 (1988).
6. Angres,B., Muller,A.H.J., Kellermann,J. & Hausen,P. Differential Expression of 2 Cadherins in *Xenopus-Laewis*. *Development* **111**, 829-844 (1991).
7. Anthony,G., Stroh,A., Lottspeich,F. & Kadenbach,B. Different isoenzymes of cytochrome c oxidase are expressed in bovine smooth muscle and skeletal or heart muscle. *FEBS Lett.* **277**, 97-100 (1990).
8. Apfel,R., Lottspeich,F., Hoppe,J., Behl,C., Durr,G. & Bogdahn,U. Purification and Analysis of Growth-Regulating Proteins Secreted by A Human-Melanoma Cell-Line 28. *Melanoma Research* **2**, 327-336 (1992).
9. AragonOrtiz,F., Mentele,R. & Auerswald,E.A. Amino acid sequence of a lectin-like protein from *Lachesis muta stenophrys* venom. *Toxicon* **34**, 763-769 (1996).
10. Arner,E.S.J., Sarioglu,H., Lottspeich,F., Holmgren,A. & A.Böck. High level expression in *Escherichia coli* of Selenocystein- containing rat thioredoxin reductase utilizing gene fusion with engineered bacterial-type SECIS elements and co-expression with selA, selB and selC genes. *J. Mol. Biol.* **292**, 1003-1016 (1999).
11. Arnold,S., Lee,I., Kim,M., Song,E., Linder,D., Lottspeich,F. & Kadenbach,B. The subunit structure of cytochrome-c oxidase from tuna heart and liver. *Eur. J. Biochem.* **248**, 99-103 (1997).
12. Atweh,G.F., Zhu,X.X., Kozarsky,K., Strahler,J., Fox,D., F.Lottspeich, Eckerskorn,C. & Hanash,S. A new approach for the detection and characterization of cancer related genes. *Blood* **72**, 174a (1988).
13. Auerswald,E.A., Genenger,G., Mentele,R., Lenzen,S., Assfalgmachleidt,I., Mitschang,L., Oschkinat,H. & Fritz,H. Purification and Characterization of A Chicken Egg-White Cystatin Variant Expressed in An *Escherichia-Coli* Pin-III-Ompa System. *European Journal of Biochemistry* **200**, 131-138 (1991).
14. Auerswald,E.A., Rossler,D., Mentele,R. & Assfalgmachleidt,I. Cloning, Expression and Characterization of Human Kininogen Domain-3. *FEBS Letters* **321**, 93-97 (1993).

15. Bach,M., Reiländer,H., Gä,P., Lottspeich,F. & Michel,H. Nucleotide sequence of a putative succinate dehydrogenase operon in *Thermoplasma acidophilum*. *Biochim. Biophys. Acta* **1174**, 103-107 (1993).
16. Baeuerle,P.A., Huttner,W. & Lottspeich,F. Purification of yolk protein 2 of *Drosophila melanogaster* and identification of its site of tyrosine sulfation. *J. Biol. Chem.* **263**, 14925-14929 (1988).
17. Barhudarian,N., Kellermann,J., Galoyan,A. & Lottspeich,F. Brain high molecular weight aspartic proteinase generates the coronaro-constrictory peptides from the α -chain of hemoglobin. *Abstr. 14th ISN Meeting, Montpellier, France* (1993).
18. Barhudaryan,N., Oberthuer,W., Lottspeich,F. & Galoyan,A. Structure of hypothalamic coronaro-constrictory peptide factors. *Neurochem. Res.* **17**, 1217-1221 (1992).
19. Barkhudaryan,N., Kellermann,J., Galoyan,A. & Lottspeich,F. High molecular weight aspartic endopeptidase generates a coronaro-constrictory peptide from the α -chain of hemoglobin. *FEBS Lett.* **329**, 215-218 (1993).
20. Barkhudaryan,N., Kellermann,J., Lottspeich,F. & Galoyan,A. New Data About Brain High-Molecular-Weight Aspartic Proteinase. *Journal of Neurochemistry* **63**, S78 (1994).
21. Bartig,D., Lemkemeier,K., Frank,J., Lottspeich,F. & Klink,F. The archaebacterial hypusine-containing protein. *Eur. J. Biochem.* **204**, 751-758 (1992).
22. Bechtner,G., Rieder,B., Linsenmaier,U., Kellermann,J., Greil,W. & Gartner,R. Isolation and Partial Molecular Characterization of Basic Fibroblast Growth-Factor from Isolated Porcine Thyroid-Follicles and Entire Porcine Thyroid-Glands. *Acta Endocrinologica* **129**, 458-466 (1993).
23. Benedum,U., Lamouroux,A., Konecki,D., Rosa,P., Hille,A., P.Baeuerle, Frank,R., Lottspeich,F., Mallet,J. & Huttner,W. The primary structure of human secretogranin I (chromogranin B): comparison with chromogranin A reveals homologous terminal domains and a large intervening variable region. *EMBO J.* **6**, 1203-1211 (1987).
24. Berei,I., Bandilla,B., Lottspeich,F. & Kellermann,J. 2-D Elektrophorese von Plasmaproteinen von Patienten mit postoperativer Sepsis. *In: Elektrophorese Forum 1991 (Radola, B. J., Ed.)* 363-366 (1991).
25. Bernacchia,G., Schwall,G., Lottspeich,F., Salamini,F. & D.Bartels. The transketolase gene family of the resurrection plant *Craterostigma plantagineum*: differential expression during the rehydration phase. *EMBO J.* **14**, 610-618 (1995).
26. Berrard,S., Brice,A., Lottspeich,F., Braun,A., Barde,A. & J.Mallet. cDNA cloning and complete coding sequence of mammalian choline acetyltransferase: in vitro translation of the corresponding RNA yields an active protein. *Proc. Natl. Acad. Sci. USA* **84**, 9280-9284 (1988).
27. Bevec,D., Klier,H., Holter,W., Tschachler,E., Valent,P., F.Lottspeich, Baumruker,T. & Hauber,J. Induced gene expression of the hypusine-containing protein eukaryotic initiation factor 5A in activated human T lymphocytes. *Proc. Natl. Acad. Sci. USA* **91**, 10829-10833 (1994).
28. Bevec,D., Jaksche,H., Oft,M., Himmelspach,M., Pacher,A., M.Schebesta, K.Koettnitz, Dobrovnik,M., Csonga,R., Lottspeich,F. & Hauber,J. Inhibition of HIV-1 replication in lymphocytes by mutants of the Rev cofactor eIF-5A. *Science* **271**, 1858-1860 (1996).
29. Blanck,A., Oesterhelt,D., Ferrando,E., Schegk,S. & F.Lottspeich. Primary structure of sensory rhodopsin I, a procaryotic photoreceptor. *EMBO J.* **8**, 3963-3971 (1989).

30. Blesch,A., Bosserhoff,A.K., Apfel,R., Behl,C., Hessdörfer,B., Schmitt,A., Jachimczak,P., Lottspeich,F., Buettner,R. & U.Bogdahn. Cloning of a novel malignant melanoma derived growth regulatory protein, MIA. *Cancer Res.* **54**, 5695-5701 (1994).
31. Brantl,V., Teschemacher,H., Henschen,A. & Lottspeich,F. Novel Opioid Peptides Derived from Casein (beta- Casomorphins). I. Isolation from Bovine Casein Peptone. *Hoppe Seyler's Z. Physiol. Chem.* **360**, 1211-1216 (1979).
32. Brantl,V., Henschen,A. & Lottspeich,F. Pharmacological Properties of beta-Casomorphins. *Naunyn-Schmiedeberg's Arch. Pharmacol.* **311**, R67 (1980).
33. Brantl,V., Teschemacher,H., Blaesig,J., Henschen,A. & F.Lottspeich. Opioid Activities of beta-Casomorphins. *Life Sci.* **28**, 1903-1909 (1981).
34. Brantl,V., Pfeiffer,A., Herz,A., Henschen,A. & Lottspeich,F. Antinociceptive Potencies of beta-Casomorphin Analogs as Compared to Their Affinities Towards \hat{i} and d Opiate Receptor Sites in Brain and Periphery. *Peptides* **3**, 793-797 (1982).
35. Brantl,V., Gramsch,C., Lottspeich,F., Henschen,A., K.-H.Jaeger & Herz,A. Novel opioid peptides derived from mitochondrial cytochrome b: cytochromophins. *Eur. J. Pharmacol.* **111**, 293-294 (1985).
36. Brantl,V., Gramsch,C., Lottspeich,F., Mertz,R., Jaeger,K.H. & Herz,A. Novel opioid peptides derived from hemoglobin: hemorphins. *Eur. J. Pharmacol.* **125**, 309-310 (1986).
37. Braun,A., Barde,A., Lottspeich,F., Mewes,W. & Thoenen,H. N-terminal sequence of pig brain choline acetyltransferase purified by a rapid procedure. *J. Neurochem.* **48**, 16-21 (1986).
38. Brecht,M., Kellermann,J. & Pluckthun,A. Cloning and Sequencing of Glutamate Mutase Component-e from Clostridium-Tetanomorphum. *FEBS Letters* **319**, 84-89 (1993).
39. Breves,R., Bronnenmeier,K., Wild,N., Lottspeich,F., W.L.Staudenbauer & Hofmeister,J. Genes encoding two different beta-glycosidases of Thermoanaerobacter brockii are clustered in a common operon. *Appl. Environ. Microbiol.* **6210**, 3902-2910 (1997).
40. Brix,K., Summa,W., Lottspeich,F. & Herzog,V. Extracellularly occurring histone H1 mediates the binding of thyroglobulin to the cell surface of mouse macrophages. *J. Clin. Invest.* **102**, 283-293 (1998).
41. Bronnenmeier,K., Ganghofner,A., Staudenbauer,W.L., F.Lottspeich, Conrad,B. & Hofmeister,J. Properties of Cellulase Z (CelZ) from the thermophile Clostridium stercorarium produced in Bacillus subtilis. **submitted**, (1993).
42. Bronnenmeier,K., Adelsberger,H., Lottspeich,F. & W.L.Staudenbauer. Affinity purification of cellulose-binding enzymes of Clostridium stercorarium. *Bioseparation.* **6**, 41-45 (1996).
43. Brüning,A., Ishikawa,T., Kneusel,R.E., Matern,U., Lottspeich,F. & Wieland,F.T. Brefeldin A binds to glutathione S-transferase and is secreted as glutathione- and cysteine-conjugates by CHO cells. *J. Biol. Chem.* **267**, 7726-7732 (1992).
44. Budisa,N., Steipe,B., Demange,P., Eckerskorn,C., Kellermann,J. & Huber,R. High-Level Biosynthetic Substitution of Methionine in Proteins by Its Analogs 2-Aminohexanoic Acid, Selenomethionine, Telluromethionine and Ethionine in Escherichia-Coli. *European Journal of Biochemistry* **230**, 788-796 (1995).
45. Bueno,N.R., Fritz,H., Auerswald,E.A., Mentele,R., Sampaio,M., Sampaio,C.A.M. & Oliva,M.L.V. Primary structure of Dioclea glabra trypsin inhibitor, DgTI, a Bowman-Birk inhibitor. *Biochemical and Biophysical Research Communications* **261**, 838-843 (1999).

46. Burcin,M., Arnold,R., Lutz,M., Kaiser,B., Runge,D., F.Lottspeich, Filippova,G.N., Lobanenkov,V.V. & Renkawitz,R. Negative protein 1, which is required for function of the chicken lysozyme gene silencer in conjunction with hormone receptors, is identical to the multivalent zinc finger repressor CTCF. *Mol. Cell. Biol.* **17**, 1281-1288 (1997).
47. Burger,P.M., Cameron,P.L., Mehl,E., Maycox,P.R., Baumert,M., Lottspeich,F., Camilli,P.D. & Jahn,R. Synaptic vesicles immunisolated from rat cerebral cortex contain high levels of glutamate. *Neuron* **3**, 715-720 (1989).
48. Burger,P.M., Hell,J., Mehl,E., Krasel,C., Lottspeich,F. & R.Jahn. GABA and glycine in synaptic vesicles: storage in different vesicle populations despite transport by the same carrier. *Neuron* **7**, 287-293 (1991).
49. Burggraf,D., Andersson,K., Eckerskorn,C. & Lottspeich,F. Towards a two-dimensional database of common human proteins. *Electrophoresis* **13**, 729-732 (1992).
50. Burggraf,D., Weber,G. & Lottspeich,F. Free flow electrophoresis of human cellular lysates as sample preparation for protein analysis. *Electrophoresis* **16**, 1010-1015 (1995).
51. Burggraf,D. & Lottspeich,F. The further construction of the two-dimensional database of common human proteins. *Electrophoresis* **16**, 831-840 (1995).
52. Burghardt,H., Brunner,H., Oelmüller,R., Lottspeich,F. & Rüdiger,W. Natural inhibitors of germination and growth VII. Synthesis of ribulosebiphosphate carboxylase in darkness and its inhibition by coumarin. ? **submitted**, (1996).
53. Bürgle,M., Koppitz,M., Riemer,C., Kessler,H., König,B., Weidle,U.H., Kellermann,J., Lottspeich,F., Graeff,H., Schmitt,M., Goretzki,L., Reuning,U., Wilhelm,O. & Magdolen,V. Inhibition of the interaction of urokinase-type plasminogen activator (UPA) with its receptor (uPAR) by synthetic peptides. *Biol. Chem.* **378**, 231-237 (1997).
54. Centea-Jochim,M. & Lottspeich,F. Posttranslational modification of proteins. *Abstr. 17th FEBS Meeting, Berlin* (1986).
55. Christomanou,H., Kellermann,J., Link,R.P. & Harzer,K. Deficient Ferritin Immunoreactivity in Visceral Organs from 4 Patients with Niemann-Pick Disease Type-C. *Biochemical and Molecular Medicine* **55**, 105-115 (1995).
56. Cicicopol,C., Peters,J., Kellermann,J. & Baumeister,W. Primary Structure of A Multimeric Protein, Homologous to the Pep-Utilizing Enzyme Family and Isolated from A Hyperthermophilic Archaeobacterium. *FEBS Letters* **356**, 345-350 (1994).
57. Datukishvili,N., Pokholok,D., Lottspeich,F., Prangishvili,D. & Rechinsky,V. The DNA polymerase-encoding gene from a thermoacidophilic archaeon *Sulfolobus acidocaldarius*. *Gene* **63**, 271-273 (1997).
58. Dax,C.I., Lottspeich,F. & Müllner,S. In vitro model system fro the identification and characterization of proteins involved in inflammatory processes. *Electrophoresis* **19**, 1841-1847 (1998).
59. de Hostos,E.L., Bradtke,B., Lottspeich,F., Guggenheim,R. & G.Gerisch. Coronin, an actin binding protein of *Dictyostelium discoideum* localized to cell surface projections, has sequence similarities with G-protein γ -subunits. *EMBO J.* **10**, 4097-4104 (1991).
60. de Hostos,E.L., Bradtke,G., Lottspeich,F. & Gerisch,G. Coactosin, a new 17kD actin-binding protein from *Dictyostelium*. *Cell Motil. Cytoskel.* **26**, 181-191 (1993).

61. Decker,G., Kellermann,J. & Lottspeich,F. & Zenck,M.H. Kapillarelektrophorese Chromatographie. Schneider,H.J. (ed.), pp. 45-50 (Bertsch Verlag, Straubing,1999).
62. Deininger,W., Kröger,P., Hegemann,U., Lottspeich,F. & P.Hegemann. Chlamyrodopsin represents a new type of sensory photoreceptor. *EMBO J.* **14**, 5849-5858 (1995).
63. Deissler,H., Lottspeich,F. & Rajewsky,M.F. Rat neural differentiation and tumor cell surface antigen gp130RB13-6 is related to PC-1 as revealed by affinity purification and cDNA cloning. *J. Biol. Chem.* **270**, 9849-9855 (1995).
64. Dengler,R., Eger,G., Lottspeich,F., Plewan,A., Ogilvie,A. & B.Emmerich. Proteolytic inactivation of alpha-1-Protease inhibitor in vivo: detection, characterization and quantitation of the main fragment excreted in the urine of leukemia patients. *Biol. Chem. Hoppe Seyler* **373**, 581-588 (1992).
65. Dengler,R., Lottspeich,F., Oberthür,W., Mast,A.E. & Emmerich,B. Limited proteolysis of alpha1-proteinase inhibitor (alpha1-. *Biol. Chem. Hoppe-Seyler* **376**, 165-172 (1995).
66. Deverdugo,U.R., Selinka,H.C., Huber,M., Kramer,B., Kellermann,J., Hofschneider,P.H. & Kandolf,R. Characterization of A 100-Kilodalton Binding-Protein for the 6 Serotypes of Coxsackie-B Viruses. *Journal of Virology* **69**, 6751-6757 (1995).
67. Dietmeier,K., Hönlinger,A., Bömer,U., Dekker,P.J.T., Eckerskorn,C., Lottspeich,F., Kübrich,M. & Pfanner,N. Tom5 functionally links mitochondrial preprotein receptors to the general import pore. *Nature* **388**, 195-200 (1997).
68. Dittmann,B., Lottspeich,F., Henschen,A. & Fritz,H. Structural and Functional Aspects on Human High Molecular Weight Kininogen. *Protides Biol. Fluids* **28**, 213-216 (1980).
69. Dittmann,K.H., Lottspeich,F., Ries,C. & Petrides,P.P. Leukemic cells (HL-60) produce a novel extracellular matrix- degrading proteinase that is not inhibited by tissue inhibitors of matrix metalloproteinases (TIMPs). *Exp. Hematol.* **23**, 155-160 (1995).
70. Dorsch,W., Suttorp,N., Lottspeich,F. & Zepp,F. Anti-inflammatory activity in human skin: it prevents edema formation in vivo. *Int. Arch. Allergy Immunol.* **118**, 236-239 (1999).
71. Dreier,B., Fritz,S., Volkert,G., Brachvogel,B., F.Lottspeich & Fey,G.H. A 32-kDa proteolytic fragment of transcription factor Stat3 is capable of specific DNA binding. *J. Biol. Chem.* **272**, 22118-22124 (1997).
72. Drexel,R., Schneider,J., Sigmund,S., Linzen,B., C.Gielens, Lontie,R., Preaux,G., Lottspeich,F. & Henschen,A. Partial primary structure of Helix pomatia α -hemocyanin functional unit d. *Abstract. ; Netherland* (1985).
73. Drexel,R., Schneider,J., Sigmund,S., Linzen,B., C.Gielens, Lontie,R., Preaux,G., Lottspeich,F. & Henschen,A. Partial Primary Structure of the Helix Pomatia β -Hemocyanin Functional Unit D. *In: Invertebrate Oxygen Carriers (Linzen, B. ;ed)* 255-258 (1986).
74. Drexel,R., Sigmund,S., Schneider,J., Linzen,B., C.Gielens, Preaux,G., Lontie,R., Kellermann,J. & Lottspeich,F. Complete amino acid sequence of a functional unit from a molluscan hemocyanin (Helix pomatia). *Biol. Chem. Hoppe Seyler* **368**, 617-635 (1987).
75. Duchene,M., Schweizer,A., Lottspeich,F., Krauss,G., M.Marget, Vogel,K., B.-U.v.Specht & Domdey,H. Sequence and transcriptional start site of the Pseudomonas aeruginosa outer membrane porin protein F gene. *J. Bact.* **170**, 155-162 (1988).

76. Dunster,L.M., Schneider-Schaulies,J., Löffler,S., Lankes,W., Schwartz-Albiez,R., Lottspeich,F. & Meulen,V.t. Moesin: A membrane receptor protein linked with susceptibility to measles virus infection. *Virology* **198**, 265-274 (1994).
77. Eberhardt,S., Korn,S., Lottspeich,F. & Bacher,A. Biosynthese of Riboflavin. An unusual riboflavin synthase of methanobacterium thermoautotrophicum. *J. Bact.* **179**, 2938-2943 (1997).
78. Eberhardt,W., Engelhardt,H., Hupe,K.P. & Lottspeich,F. Verbesserte HPLC-Methode für die Trennung von PTH-Aminosäuren. *Abstr. Anakon 91, Baden-Baden, 22-24. 4. 91* (1991).
79. Eckerskorn,C., Mewes,W. & Lottspeich,F. Elektroblotten von Proteinen aus SDS-Polyacrylamidgelen auf aktivierte Glasfasermembranen für die proteinchemische Analyse im Mikromaßstab. *In: Elektrophorese Forum '87 (Radola, B. J. ; ed.)* 114-122 (1987).
80. Eckerskorn,C., Klose,J., Mewes,W., Lottspeich,F. & Jungblut,P. Identification of mouse brain proteins after 2-D electrophoresis and electroblotting by microsequence analysis and amino acid analysis. *Electrophoresis* **9**, 830-838 (1988).
81. Eckerskorn,C., Mewes,W., Goretzki,H. & Lottspeich,F. A new siliconized glass fiber as support for protein chemical analysis of electroblotted proteins. *Eur. J. Biochem.* **176**, 509-519 (1988).
82. Eckerskorn,C., Jungblut,P., Mewes,W., Klose,J. & Lottspeich,F. Identification of mouse brain proteins electroblotted from two-dimensional gels. *J. Prot. Chem.* **7**, 222 (1988).
83. Eckerskorn,C. & Lottspeich,F. Internal amino acid sequence analysis of proteins separated by gel electrophoresis after tryptic digestion in polyacrylamide matrix. *Chromatographia* **28**, 92-94 (1989).
84. Eckerskorn,C., Strahler,J., Hanash,S. & Lottspeich,F. Identification and characterization of proteins after 2-D electrophoresis by microsequence ananlysis demonstrated with leukemia protein markers. *In: Progress in Two Dimensional Electrophoresis (T. Endler, S. Hanash, eds) VCH publishers, Weinheim* 153-157 (1989).
85. Eckerskorn,C. & Lottspeich,F. Combination of two dimensional gel electrophoresis with microsequencing and amino acid composition analysis: Improvement of speed and sensitivity in protein characterization. *Electrophoresis* **11**, 554-561 (1990).
86. Eckerskorn,C. & Lottspeich,F. The choice of the membrane for electroblotting and subsequent amino acid sequence analysis of proteins. *J. Prot. Chem.* **9**, 272 (1990).
87. Eckerskorn,C. & Lottspeich,F. The initial yield in automated Edman-degradation depends on the choice of the membrane and the mode of protein application. *In: 2-D-PAGE'91 (Dunn, M. J. ,Ed) Zebra Printing, London* 111-115 (1991).
88. Eckerskorn,C. & Lottspeich,F. Interne Sequenzinformation von elektrophoretisch aufgetrennten Proteinen. *In: Elektrophorese Forum 1991 (Radola, B. J. , Ed.)* 283-288 (1991).
89. Eckerskorn,C., Strupat,K., Karas,M., Hillenkamp,F. & F.Lottspeich. Mass spectrometric analysis of blotted proteins after gel electrophoretic separation by matrix-assisted laser desorption/ionisation. *Electrophoresis* **13**, 664-665 (1992).
90. Eckerskorn,C. & Lottspeich,F. Structural characterization of blotting membranes and the influence of membrane parameters for electroblotting and subsequent amino acid sequence analysis of proteins. *Electrophoresis* **14**, 831-838 (1993).

91. Eckerskorn,C., Lottspeich,F., Strupat,K. & Hillenkamp,F. Matrix-assisted laser desorption ionisation mass spectrometry of proteins electroblotted after polyacrylamide gelelectrophoresis. *Abstr. Chanbory*, (1993).
92. Eckerskorn,C., Lottspeich,F., Strupat,K. & Hillenkamp,F. Direct MALDI-Mass spectrometry of electroblotted proteins after SDS-PAGE. *Abstr. Int. Symp. on Separation and Analysis of Proteins,Peptides, Polynucleotides (ISPPP'94), Heidelberg, Nov. 94* (1994).
93. Eckerskorn,C., Strupat,K., Kellermann,J., Lottspeich,F. & Hillenkamp,F. High-sensitivity peptide mapping by micro-LC with on-line membrane blotting and subsequent detection by scanning-IR-MALDI mass spectrometry. *J. Prot. Chem.* **16**, 349-362 (1997).
94. Eckerskorn,C., Strupat,K., Schleuder,D., Hochstrasser,D., Sanchez,C., Lottspeich,F. & Hillenkamp,F. Analysis of proteins by direct-scanning infrared-MALDI mass spectrometry after 2D-PAGE separation and electroblotting. *Anal. Chem.* **69**, 2880-2892 (1997).
95. Eger,G., Dengler,R., Maulbach,P.A., Lottspeich,F., A.Ogilvie & Emmerich,H. The response-related urinary 41 kD glycoprotein in acute leukemia is a fragment of alpha-1-proteinase inhibitor. *Abst. Jahrestagung der Deutschen und (tm)sterreichischen Gesellschaft für Hämatologie, Köln* (1990).
96. Ehring,B., Meyer,T.H., Eckerskorn,C., Lottspeich,F. & Tampe,R. Effects of major-histocompatibility-complex-encoded subunits on the peptidase and proteolytic activities of human 20S proteasomes. Cleavage and antigenic peptides. *Eur. J. Biochem.* **235**, 404-415 (1996).
97. Engel,A.M., Cejka,Z., Lupas,A., Lottspeich,F. & Baumeister,W. Isolation and cloning of Omp alpha, a coiled-coil protein spanning the periplasmic space of the ancestrlal eubacterium *Thermotoga maritima*. *EMBO J.* **11**, 4369-4378 (1992).
98. Engelbrecht,F., Chun,K., Ochs,C., Hess,J., Lottspeich,F., Goebel,W. & Sokolovic,Z. A new PrfA-regulated gene of *Listeria monocytogenes* encoding a small, secreted protein which belongs to the family of internalins. *Mol. Microbiol.* **21**, 823-837 (1996).
99. Estermaier,L.M., Sieber,H., Lottspeich,F., Matern,D.H.M. & Hartmann,G.R. Biochemical degradation of cyanamide and dicyanamide. *Angew. Chemie* **104**, 655-658 (1992).
100. Evers,R., Smid,A., Rudloff,U., Lottspeich,F. & Grummt,I. Different domains of the murine RNA-polymerase I-specific termination factor mTTF-I serve distinct functions in transcription termination. *EMBO J.* **14**, (1995).
101. Faix,J., Steinmetz,M., Boves,H., Kammerer,R.A., F.Lottspeich, Mintert,U., Murphy,J., Stock,A., Aebi,U. & G.Gerisch. Cortexillins, major determinants of cell shape and size, are actin-bundling proteins with a parallel coiled-coil tail. *Cell* **86**, 631-642 (1996).
102. Fathir,I., Tanaka,K., Yoza,K., Kojima,A., Kobayashi,M., Z.-Y.Wang, Lottspeich,F. & Nozawa,T. The genes coding for the L,M,and C cytochrome subunits of photosynthetic reaction center from thermophilic purple sulfur bacetrium *Chromatium tepidum*. *Photosynthesis Res.* **51**, 71-82 (1997).
103. Faulstich,D., Auerbach,S., Orci,L., Ravazzola,M., S.Wegehingel, Lottspeich,F., Stenbeck,G., Harter,C., F.T.Wieland & Tschochner,H. Architecture of Coatomer: Molecular characterization of delta-. *J. Cell Biol.* **135**, 53-61 (1996).
104. Feil,R., Kellermann,J. & Hofmann,F. Functional Cgmp-Dependent Protein-Kinase Is Phosphorylated in Its Catalytic Domain at Threonine-516. *Biochemistry* **34**, 13152-13158 (1995).

105. Feldmann,H., Driller,L., Meier,B., Mages,G., Kellermann,J. & Winnacker,E.L. HDF2, the second subunit of the Ku homologue from *Saccharomyces cerevisiae*. *Journal of Biological Chemistry* **271**, 27765-27769 (1996).
106. Fialka,I., Pasquali,C., Lottspeich,F., Ahorn,H. & Huber,L.A. Subcellular fractionation of polarized epithelial cells and identification of organelle-specific proteins by two- dimensional gel electrophoresis. *Electrophoresis* **18**, 2582-2590 (1997).
107. Fialka,I., Steinlein,P., Ahorn,H., Böck,G., Burbelo,P.D., M.Haberfellner, Lottspeich,F., Paiha,K., Pasquali,C. & Huber,L.A. Identification of syntenin as a protein of the apical early endocytotic compartment in MDK cells. *J. Biol. Chem.* **274**, 26233-26239 (1999).
108. Fialka,I., Pasquali,C., Kurzbauer,R., Lottspeich,F. & L.A.Huber. Loss of epithelial polarity is accompanied by differential association of proteins with intracellular membranes. *Electrophoresis* **20**, 331-343 (1999).
109. Fiedler,F., Lemon,M., Hirschauer,C., Leysath,G., F.Lottspeich, Henschen,A., Gau,W. & Bhoola,K. Purification and Properties of Guinea-Pig Submandibular-Gland Kallikrein. *Biochem. J.* **209**, 125-134 (1983).
110. Fiedler,F., Hinz,H. & Lottspeich,F. Individual reaction steps in the release of kallidin from kininogen. In: *KININS IV, Part A, (Greenbaum, L. M. ; Margolius, H. S. ; eds) Plenum Publishing Corporation* 283-289 (1986).
111. Fiedler,F., Betz,G., Hinz,H., Lottspeich,F., Raidoo,D.M. & Bhoola,K.D. Not more than three tissue kallikreins identified from organs of the guinea pig. *Biol. Chem.* **380**, 63-67 (1999).
112. Flügge,I., Weber,A., Fischer,K., Lottspeich,F., Eckerskorn,C., Waegemann,K. & Soll,J. The major chloroplast envelope polypeptide is the phosphate translocator and not the protein import receptor. *Nature* **353**, 364-367 (1991).
113. Flügge,U.I., Fischer,K., Gross,A., Seebald,W., F.Lottspeich & Eckerskorn,C. The triose phosphate-3-phosphoglycerate-phosphate translocator from spinach chloroplasts: nucleotide sequence of a full length cDNA clone and import of the in vitro synthesized precursor proteins into chloroplasts. *EMBO J.* **8**, 39-46 (1989).
114. Fock-Nüzel,R., Lottspeich,F., Henschen,A., Müller-Esterl,W. & Fritz,H. N-Terminal Amino Acid Sequence of Boar Sperm Acrosin. Homology with Other Serine Proteases. *Hoppe Seyler's Z. Physiol. Chem.* **361**, 1823-1828 (1980).
115. Fock-Nüzel,R., Lottspeich,F., Henschen,A. & Müller-Esterl,W. The Use of HPLC in the Elucidation of the Primary Structure of the Hydrophobic Membrane Protein "Acrosin". *Abstr. VII. Int. Symp. on Column Chromatography, Baden Baden* (1983).
116. Fock-Nüzel,R., Lottspeich,F., Henschen,A. & Müller-Esterl,W. Structural Studies on Acrosin, a Key Enzyme in Fertilisation. *Hoppe Seyler's Z. Physiol. Chem.* **364**, 1125 (1983).
117. Fock-Nüzel,R., Lottspeich,F., Müller-Esterl,W. & Henschen,A. Boar Acrosin is a two Chain Molecule: Isolation and Primary Structure of the Light Chain. Homology With The Propart of Other Serine Proteinases. *Eur. J. Biochem.* **141**, 441-446 (1984).
118. Forssmann,W.G., Hock,D., Lottspeich,F., Henschen,A., V.Kreye, Christmann,M., Reinecke,M., Metz,J., Mutt,V. & M.Carlquist. The Right Auricle of the Heart is an Endocrine Organ: Cardiodilatin as a Peptide Hormone Candidate. *Anat. Embryol.* **168**, 307-313 (1983).
119. Forssmann,W.G., Birr,C., Carlquist,M., Christmann,M., R.Finke, Henschen,A., Hock,D., Kirchheim,H., Kreye,V., F.Lottspeich, Metz,J., Reinecke,M. & Mutt,V. The Auricular

- Myocardiocytes of the Heart Constitute an Endocrine Organ: Characterization of a Porcine Cardiac Peptide Hormone, Cardiodilatin-126. *Cell Tissue Res.* **238**, 425-430 (1984).
120. Forterre,P., Bergerat,A., Gabelle,D., Elie,C., Lottspeich,F., Confalonieri,F., Duguet,M., Holmes,M. & Smith,M.D. Evolution of DNA topoisomerases and DNA polymerases: a perspective from archaea. *System. Appl. Microbiol.* **16**, 746-758 (1994).
 121. Frankenberger,B., Lottspeich,F. & Linke,R.P. The monoclonal antibody mc21 recognizes the invariant region of the amyloid-A protein. *Abstr. VIIIth Int. Symp. Amyloidosis, Kingston, Ontario* (1993).
 122. Friederich,E., Baeuerle,P.A., Fritz,J., Lottspeich,F. & Huttner,B. Site specific mutagenesis as an approach to investigate the role of tyrosine sulfatation of secretory proteins. *Abstr. GFB Workshop "Gezielte Mutagenese und Protein-Design"* (1986).
 123. Fröhlich,K.U., Wiedmann,M., Lottspeich,F. & Mecke,D. Cloning, heterologous expression, and immunological characterization of the two glyceraldehyde-3-phosphate dehydrogenase isoenzymes of *Streptomyces arenae*. *J. Bact.* **171**, 6696-6702 (1989).
 124. Fruth,U., Eckerskorn,C., Lottspeich,F., Kramer,M.D., M.Simon & Prester,M.M. Human T cell specific proteinase (HuTSP) is encoded by the T cell and natural killer specific human Hanukah factor (HuHF) gene. *FEBS Lett.* **237**, 45-48 (1988).
 125. Fuchs,R., Jauris,S., Lottspeich,F., Preac-Mursic,V., E.Soutschek & Wilske,B. Molecular analysis and expression of a *Borrelia burgdorferi* gene encoding a 22 kDa protein (pC) in *Escherichia coli*. *Mol. Microbiol.* **6**, 503-509 (1992).
 126. Gabellini,N., Gao,Z., Eckerskorn,C., Lottspeich,F. & D.Oesterhelt. Purification of the H⁺-ATPase from *Rhodobacter capsulatus*, identification of the F1F0 components and reconstitution of the active enzyme. *Biochem. Biophys. Acta* **934**, 227-234 (1988).
 127. Gal,A., Herrmann,R.G., Lottspeich,F. & Ohad,I. Phosphorylation of cytochrome b6 by the LHC II kinase associated with the cytochrome complex. *FEBS Lett.* **298**, 33-35 (1992).
 128. Gallert,C., Ohanjyn,T., Daignan-Fornier,B., Lottspeich,F. & Krauss,G. Enzymatic properties and inhibition by single-stranded autonomously replicating sequences of adenylosuccinate synthase from *Saccharomyces cerevisiae*. *Eur. J. Biochem.* **239**, 487-493 (1996).
 129. Galli,D., Lottspeich,F. & Wirth,R. Sequence analysis of *Enterococcus faecalis* aggregation substance encoded by the sex pheromone plasmid pAD1. *Mol Microbiol.* **4**, 895-904 (1990).
 130. Galliano,H., Cabane,M., Eckerskorn,C., Lottspeich,F., Sandermann,J. & Ernst,D. Molecular cloning, sequence analysis and elicitor-/ozone- induced accumulation of cinnamyl alcohol dehydrogenase from spruce. *Plant Mol. Biol.* **23**, 145-156 (1993).
 131. Ganghofner,D., Kellermann,J., Staudenbauer,W.L. & Bronnenmeier,K. Purification and properties of an amylopullulanase, a glucoamylase, and an alpha-glucosidase in the amylolytic enzyme system of *Thermoanaerobacterium thermosaccharolyticum*. *Bioscience Biotechnology and Biochemistry* **62**, 302-308 (1998).
 132. Gassner,C., Schneider-Scherzer,E., Lottspeich,F., M.Schweiger & Auer,B. *Escherichia coli* bacteriophage T1 DNA methyltransferase appears to interact with *Escherichia coli* enolase. *Biol. Chem.* **379**, 621-623 (1998).
 133. Gauss-Müller,V., Lottspeich,F. & Deinhardt,F. Characterisation of Hepatitis A Virus Structural Proteins. *Virology* **155**, 732-766 (1986).

134. Geiger,R., Fink,E., Lottspeich,F., Henschen,A. & Fritz,H. Human Urinary Kallikrein. *Biochemistry and Physiological Studies. Fresenius' Z. Anal. Chem.* **301**, 172-173 (1980).
135. Geiger,R., Kellermann,J., Deutzmann,R. & Lottspeich,F. Biochemistry of human tissue (urinary) Kallikrein. *Vasodepressor Hormones, Birkhäuser Verlag Basel Agents and Actions* **22**, 223-231 (1987).
136. Genenger,G., Lenzen,S., Mentele,R., Assfalgmachleidt,I. & Auerswald,E.A. Recombinant Q53E-Chicken and Q53N-Chicken Egg-White Cystatin Variants Inhibit Papain, Actinidin and Cathepsin-B. *Biomedica Biochimica Acta* **50**, 621-625 (1991).
137. Genersch,E., Eckerskorn,C., Lottspeich,F., Herzog,C., Kühn,K. & Pöschl,E. Purification of the sequence-specific transcription factor CTCBF, involved in the control of the human collagen IV genes: subunits with homology to Ku-antigen. *EMBO J.* **14**, 791-800 (1995).
138. Gerardy-Schahn,R., Belthe,A., Brennecke,T., Mühlhoff,M., Eckhardt,M., Ziesing,S., Lottspeich,F. & Frosch,M. Molecular cloning and functional expression of bacteriophage. *Mol. Microbiol.* **16**, 441-450 (1995).
139. Gerbl-Rieger,S., Peters,J., Kellermann,J., Lottspeich,F. & W.Baumeister. Nucleotide and derivatived amino acid sequence of the major porin of Comamonas acidovorans and a comparison of porin primary structures. *J. Bact.* **173**, 2196-2205 (1991).
140. Gerbl-Rieger,S., Engelhardt,H., Peters,J., Kehl,M., F.Lottspeich & Baumeister,W. Topology of the anion-selective porin Omp32 from Comomonas acidovorans. *J. Struc. Biol.* **108**, 14-24 (1992).
141. Gerhartz,B., Engh,R.A., Mentele,R., Eckerskorn,C., Torquato,R., Wittmann,J., Kolb,H.J., Machleidt,W., Fritz,H. & Auerswald,E.A. Quail cystatin: Isolation and characterisation of a new member of the cystatin family and its hypothetical interaction with cathepsin B. *FEBS Letters* **412**, 551-558 (1997).
142. Gerhartz,B., Auerswald,E.A., Mentele,R., Fritz,H., Machleidt,W., Kolb,H.J. & Wittmann,J. Proteolytic enzymes in yolk-sac membrane of quail egg. Purification and enzymatic characterisation. *Comparative Biochemistry and Physiology B-Biochemistry & Molecular Biology* **118**, 159-166 (1997).
143. Gerhäuser,C., Samtleben,R., Tan,G.T., Pezzuto,J.M., M.Wachinger, Erfle,V., Lottspeich,F. & Wagner,H. Peponin, a new ribosome -inactivating protein with HIV-1 reverse transcriptase inhibitory potential. *The Lancet* **submitted**, (1994).
144. Germeroth,L., Lottspeich,F., Robert,B. & Michel,H. Unexpected Similarities of the B800-850 Light-Harvesting Complex from Rhodospirillum-Molischianum to the B870 Light-Harvesting Complexes from Other Purple Photosynthetic Bacteria
25. *Biochemistry* **32**, 5615-5621 (1993).
145. Gietl,C., Lottspeich,F. & Hock,B. Sequence Homologies between glyoxysomal and mitochondrial malate dehydroxygenase. *Planta* **169**, 555-558 (1986).
146. Giordano,S., Laessing,U., Ankerhold,R., Lottspeich,F. & C.A.O.Stuermer. Molecular Characterization of E587 Antigen: an axonal recognition molecule expressed in the goldfish central nervous system. *J. Comp. Neurology* **377**, 286-297 (1997).
147. Goetz,H., Schuster,R., Kellermann,J. & Lottspeich,F. Structure Elucidation of the Light Chain of Human High Molecular Mass Kininogen Using Novel HPLC Methods. *Abstr. Pittsburgh Conference* (1986).

148. Goetz,H., Kehl,M. & Lottspeich,F. UV/Vis Diode Array Detection for Peak Purity Control in HPLC Analysis of Peptides and Proteins. *Hewlett Packard, HPLC Application Note 6*, (1987).
149. Goetz,H., Kellermann,J. & Lottspeich,F. Structural elucidation of human kininogen using HPLC. *Hewlett Packard HPLC Application note 2*, (1988).
150. Goller,M., Fumke,B., Gehe-Becker,C., Kröger,B., F.Lottspeich & Horak,I. Murine protein which binds preferentially to oligo-C-rich single stranded nucleic acids. *Nucl. Acid. Res.* **22**, 1885-1889 (1994).
151. Gomisruth,F.X., Kress,L.F., Kellermann,J., Mayr,I., Lee,X., Huber,R. & Bode,W. Refined 2-Center-Dot-0 Angstrom X-Ray Crystal-Structure of the Snake-Venom Zinc-Endopeptidase Adamalysin-li - Primary and Tertiary Structure Determination, Refinement, Molecular-Structure and Comparison with Astacin, Collagenase and Thermolysin. *Journal of Molecular Biology* **239**, 513-544 (1994).
152. Goppelt,A., Stelzer,G., Lottspeich,F. & Meisterernst,M. A mechanism for repression of class II transcription through specific binding of NC2 to TBP-promoter complexes via heterodimeric histone fold domains. *EMBO J.* **15**, 3105-3116 (1996).
153. Gottschalk,L., Fischer,R., Lottspeich,F. & Scheer,H. Origin of the red-shifted absorption in Phycocyanin 632 from *Mastigocladus laminosus*. *Photochem. Photobiol.* **54**, 283-288 (1991).
154. Gottschalk,L., Lottspeich,F. & Scheer,H. Reconstitution of an allophycocyanin trimer complex containing the C-terminal 21-23 KDa domain of the core-membrane linker polypeptide Lcm. *Photochem. Photobiol.* **58**, 761-767 (1993).
155. Gottschalk,L., Lottspeich,F. & Scheer,H. Reconstitution of allophycocyanin trimer complex containing the c-terminal 21-23 kDa domain of the core-membrane linker polypeptide Lcm. *Z. Naturforsch.* **49**, 331-336 (1994).
156. Göke,B., Lankat-Buttgereit,B., Steffen,H., Lottspeich,F. & R.Göke. Expression of stress proteins in diabetes mellitus: detection of a heat-shock protein 60-like protein in pancreatic RINm5F β - cell plasma membranes. *In: Heat Shock Proteins in Medicine (W. van Eden & D. B. Young, eds.) Marcel Dekker, Inc., New York* (1994).
157. Götz,R., Kolbeck,R., Lottspeich,F. & Barde,A. Production and characterization of recombinant neurotrophin-3. *Eur. J. Biochem.* **204**, 745-749 (1992).
158. Götz,R., Köster,R., Winkler,C., Raulf,F., Lottspeich,F., M.Schartl & Thoenen,H. Neurotrophin-6, a novel member of the nerve growth factor family. *Nature* **372**, 266-269 (1994).
159. Grant,D.M., Lottspeich,F. & Meyer,U.A. Evidence for two closely related isoenzymes of arylamine N- acetyl-transferase in human liver. *FEBS Lett.* **244**, 203-207 (1989).
160. Grimm,R., Lottspeich,F., Schneider,H. & Rüdiger,W. Investigation of the peptide chain of 124 kDa phytochrome: Localisation of proteolytic fragments and epitopes for monoclonal antibodies. *Z. Naturforsch.* **41**, 993-1000 (1986).
161. Grimm,R., Lottspeich,F. & Rüdiger,W. Heterogeneity of the amino acid sequence of phytochrome from etiolated oat seedlings. *FEBS Lett* **225**, 215-217 (1987).
162. Grimm,R., Eckerskorn,C., Lottspeich,F., Zenger,C. & Rüdiger,W. Sequence analysis of proteolytic fragments of 124-kilodalton phytochrome from etiolated *Avena sativa* L.: Conclusions on the conformation of the native protein. *Planta* **174**, 396-401 (1988).
163. Grimm,R., Kellermann,J., Schafer,W. & Rudiger,W. The Amino-Terminal Structure of Oat Phytochrome. *FEBS Letters* **234**, 497-499 (1988).

164. Grimm,R., Eckerskorn,C., Lottspeich,F. & Schäfer,E. Rapid phosphorylation of H3 Histone in isolated nuclei of Barley (*Hordeum vulgare* L.). *Bot. Acta* **104**, 68-71 (1991).
165. Grummt,M., Pistor,S., Lottspeich,F. & Schliwa,M. Cloning and functional expression of a fast fungal kinesin. *FEBS Lett.* **427**, 79-84 (1998).
166. Grundmann,U., Nerlich,C., Rein,T., Lottspeich,F. & Küpper,HA. Isolation of cDNA coding for the placental protein 15 (PP15). *Nucleic Acids Res.* **16**, 4721-4722 (1988).
167. Grundmann,U., Abel,K.J., Bohn,H., Lottspeich,F. & Kuepper,H. Characterization of c-DNA encoding human placental anticoagulant protein (pp4): Homology with the lipocortin family. *Proc. Natl. Acad. Sci. USA* **85**, 3708-3712 (1988).
168. Guder,W., Hallbach,J., Geiger,R., Fink,E., Fritz,H., Müller-Esterl,W., Lottspeich,F., Kellermann,J. & Linke,R. The Kallikrein-Kinin-System of the Kidney. *Abstr. Meet. Int. Soc. of Hypertension , Nürnberg Sept.*, (1986).
169. Gus-Mayer,S., Brunner,H., Schneider-Poetsch,H.A.W., Lottspeich,F., Eckerskorn,C., Grimm,R. & Rüdiger,W. The amino acid sequence previously attributed to a protein kinase or a TCP1-related molecular chaperone copurified with phytochrome belongs to a α -glucosidase. *FEBS Lett.* **347**, 51-54 (1994).
170. Hacker,J., Kestler,H., Hoschützky,H., Jann,K., Lottspeich,F. & Korhonen,T.K. Cloning and characterization of the S fimbrial adhesin II (Sfa II) complex of an Escherichia coli 018:K1 meningitis isolate. *Infect. Immun.* **61**, 544-550 (1993).
171. Hailat,N., Keim,D.R., Melhem,R.F., Zhu,X., Eckerskorn,C., G.Brodeur, Reynolds,C.P., Seeger,R.C., Lottspeich,F., J.R.Strahler & Hanash,S.M. High levels of p19/nm23 protein in neuroblastoma are associated with advanced stage disease and with N-myc gene amplification. *J. Clin. Invest.* **88**, 341-345 (1990).
172. Hanakam,F., Eckerskorn,C., Lottspeich,F., Müller-Taubenberger,A., Schäfer,W. & Gerisch,G. The pH-sensitive actin-binding protein hisactophilin of Dictyostelium exists in two isoforms with both are myristoylated and distributed between plasma membrane and cytoplasm. *J. Biol. Chem.* **270**, 596-602 (1995).
173. Hanash,S., Kuick,R., Tueche,H.J., Lottspeich,F. & C.Eckerskorn. Structural studies of a new marker for common acute lymphoblastic leukemia lead to its identification as a stress protein. *Blood* **72**, 203a (1988).
174. Hanash,S.M. *et al.* Data-Base Analysis of Protein Expression Patterns During T-Cell Ontogeny and Activation
26. *Proceedings of the National Academy of Sciences of the United States of America* **90**, 3314-3318 (1993).
175. Hara,S., Miyata,A., Yokoyama,C., Inoue,H., Brugger,R., F.Lottspeich, Ullrich,V. & Tanabe,T. Isolation and molecular cloning of prostacyclin synthase from bovine endothelial cells. *J. Biol. Chem.* **269**, 19897-19903 (1994).
176. Hara,S., Miyata,A., Yokoyama,C., Brugger,R., Lottspeich,F., Ullrich,V. & Tanabe,T. Molecular cloning and expression of prostacyclin synthase from endothelial cells. *Adv. Prostagandin,Thromoxane,Leukotriene Res.* **23**, 121-123 (1995).
177. Harter,C., Draken,E., Lottspeich,F. & Wieland,F.T. Yeast coatomer contains a subunit homologous to mammalian α '-. *FEBS Lett.* **332**, 71-73 (1993).

178. Hartmann,H.A., Krüger,J., Lottspeich,F. & Kahmann,R. Environmental signals controllin sexual development of the corn smut fungus *Ustilago maydis* through the transcriptional regulator Prf1. *Plant Cell*. **11**, 1293-1306 (1999).
179. Haugwitz,M., Noegel,A.A., Rieger,D., Lottspeich,F. & M.Schleicher. Dictyostelium discoideum contains two profilin isoforms that differ in structure and function. *J. Cell Sci*. **100**, 481-489 (1991).
180. Haus,U., Trommler,P., Fisher,P.R., Hartmann,H., F.Lottspeich, Noegel,A.A. & Schleicher,M. The heat shock cognate protein from Dictyostelium affects actin polymerization through interaction with the actin-binding protein cap32/34. *EMBO J*. **12**, 3763-3771 (1993).
181. Hauser,K., Kissmehl,R., J.Linder, Schultz,J.E., F.Lottspeich & Plattner,H. Identification of isoforms of the exocytosis-sensitive phosphoprotein PP63/parafusin in Paramecium tetraurelia and demonstration of phosphoglucomutase activity. *Biochem. J*. **323**, 289-296 (1997).
182. Haussmann,C., Rohdich,F., Lottspeich,F., Eberhardt,S., J.Scheuring, Mackamul,S. & Bacher,A. Dihydroneopterin triphosphate epimerase of Escherichia coli. Purification, genetic cloning and expression. *J. Bact*. **179**, 949-951 (1997).
183. Hegemann,P., Blanck,A., Vogelsang-Wenke,H., Lottspeich,F. & D.Oesterhelt. The halo-opsin gene. I. Identification and isolation. *EMBO J*. **6**, 259-264 (1987).
184. Heidrich,G., Strych,W., Miettinen-Baumann,A., McBridge,J., Eckerskorn,C. & Lottspeich,F. Chemical characterization of Plasmodium falciparum merozoite surface antigens. *Abstr. 7th Japanese German Symposium on protozoan diseases* 16 (1989).
185. Heidrich,H.G., Strych,W., Lottspeich,F. & Miettinen-Baumann,A. Antigens of plasmodium falciparum merozoites: Identification, isolation and functional characterization. *In: NATO ASI Series, Host-Parasite Cellular and Molecular Interactions in Protozoal Infections*. (K. P. Chang and D. Snary, eds) Springer Verlag, Berlin-Heidelberg **Vol. H11**, (1987).
186. Heidrich,H.G., Miettinen-Baumann,A., Eckerskorn,C. & F.Lottspeich. The N-terminal amino acid sequences of the Plasmodium falciparum (FCB1) merozoite surface antigens 42 and 32 kilodalton, both derived from the 185-195-kilodalton precursor. *Mol. Biochem. Parasitol*. **34**, 147-153 (1989).
187. Heinzl,R., Appelhans,H., Gassen,G., Seemüller,U., Arnhold,M., Fritz,H., Lottspeich,F., Wiedenmann,K. & Machleidt,W. The neutrophil elastase-cathepsin G inhibitor of human mucus tissues and secretions (antileukoprotease, HUSI-I): Complete primary structure as revealed by protein and DNA sequencing. *In: Pulmonary Emphysema and Proteolysis: (Taylor, J. C. ; Mittmann, Ch. ; eds.) Academic Press* 297-306 (1987).
188. Henschen,A. & Lottspeich,F. Amino Acid Sequence of Human Fibrin. Preliminary Note on the Peptides Obtained by Cleaving the gamma-Chain at the Arginyl Bonds. *Hoppe Seylers Z. Physiol. Chem*. **356**, 1985-1988 (1975).
189. Henschen,A. & Lottspeich,F. Amino Acid Sequence Linking Plasmic Fragments E and D in the beta-Chain of Human Fibrin. *Hoppe Seyler's Z. Physiol. Chem*. **357**, 1801-1803 (1976).
190. Henschen,A., Lottspeich,F., Sekita,T. & Warbinek,R. Amino Acid Sequence of Human Fibrin. Preliminary Note on the Order of Peptides Obtained by Cleaving the gamma-Chain at the Methionyl and Arginyl Bonds. *Hoppe Seyler's Z. Physiol. Chem*. **357**, 605-608 (1976).
191. Henschen,A. & Lottspeich,F. Sequence Homology between gamma-Chain and beta-Chain in Human Fibrin. *Thrombosis Research* **11**, 869-880 (1977).

192. Henschen,A. & Lottspeich,F. Amino Acid Sequence of Human Fibrin. Preliminary Note on the Completion of the beta-Chain Sequence. *Hoppe Seyler's Z. Physiol. Chem.* **358**, 1643-1646 (1977).
193. Henschen,A., Lottspeich,F. & Töpfer-Petersen,E. Carbohydrate Linkage Sites in Human and Bovine Fibrin. *Abstr. 11th FEBS Meeting, Copenhagen C-3 255*, (1977).
194. Henschen,A., Lottspeich,F., Töpfer-Petersen,E. & Warbinek,R. Inter- and Intra-Chain Sequence Homologies in Human Fibrin. *Hoppe Seyler's Z. Physiol. Chem.* **358**, 1217 (1977).
195. Henschen,A., Lottspeich,F. & Töpfer-Petersen,E. Carbohydrate Carrying Peptides Isolated From Human Fibrinogen. *Abstr. 1st Florence Conf. on Haemostas. Thromb.* **42**, (1977).
196. Henschen,A., Lottspeich,F. & Warbinek,R. Primary Structure of Human Fibrin gamma-Chain. *Abstr. 11th FEBS Meeting, Copenhagen C-3 252*, (1977).
197. Henschen,A., Lottspeich,F., Töpfer,P. & Warbinek,R.E. On the Primary Structure of Fibrinogen. *Bibl. Haematol.* **44**, 106-113 (1978).
198. Henschen,A., Lottspeich,F. & Hessel,B. Amino Acid Sequence of Human Fibrin. Preliminary Note on a Disulfide - Containing Internal Peptide of the alpha-Chain, obtained by Plasmic Digestion of Fibrinogen. *Hoppe Seyler's Z. Physiol. Chem.* **359**, 1607-1610 (1978).
199. Henschen,A., Lottspeich,F. & Töpfer-Petersen,E. Primary Structure of Fibrinogen. *Abstr. XVII Congr. Int. Soc. Haematol. ; Paris 712*, (1978).
200. Henschen,A. & Lottspeich,F. Beta-Casomorphins - Novel Opioid Peptides Derived from Casein Peptone. Structure elucidation. *Naunyn-Schmiedeberg's Arch. Pharmacol.* **308**, **Suppl.**, R (1979).
201. Henschen,A., Lottspeich,F., Brantl,V. & Teschemacher,H. beta-Casomorphins - Exorphins Derived from Casein Peptone. *Hoppe Seyler's Z. Physiol. Chem.* **360**, 1157-1158 (1979).
202. Henschen,A., Lottspeich,F., Töpfer-Petersen,E. & Warbinek,R. Primary Structure of Fibrinogen. *Thromb. Haem.* **41**, 662-670 (1979).
203. Henschen,A., Lottspeich,F., Brantl,V. & Teschemacher,H. Novel Opioid Peptides Derived from Casein (beta- Casomorphins). II. Structure of Active Components from Bovine Casein Peptone. *Hoppe Seyler's Z. Physiol. Chem.* **360**, 1217-1224 (1979).
204. Henschen,A., Lottspeich,F., Töpfer-Petersen,E. & Warbinek,R. Primary Structure of Fibrinogen. *Thrombosis and Haemostasis* **41**, 661-670 (1979).
205. Henschen,A., Lottspeich,F. & Warbinek,R. Amino Acid Sequence of Human Fibrin gamma-Chain. *In: Haemostasis and Thrombosis. (Neri Serneri, G. G. Prentice, C. R. M. ; eds.) Academic Press, London 287-292* (1979).
206. Henschen,A., Lottspeich,F. & Hessel,B. Amino Acid Sequence of Human Fibrin. Preliminary Note on the Completion of the Intermediate Part of the alpha-Chain Sequence. *Hoppe Seyler's Z. Physiol. Chem.* **360**, 1951-1956 (1979).
207. Henschen,A. & Lottspeich,F. Some Recent Advances in the Methods of Protein Sequence Analysis. *Abstr. 3rd Symp. on Chemistry of Peptides and Proteins, Makhatchkala 3* (1980).
208. Henschen,A., Fock-Nützel,R., Lottspeich,F., Müller-Esterl,W. & Fritz,H. Structural Studies on Acrosin, a Serine Protease of the Acrosomal Membrane. *Abstr. 3rd Symp. on Chemistry of Peptides and Proteins, Makhatchkala* (1980).

209. Henschen,A., Brantl,V., Teschemacher,H. & Lottspeich,F. Beta-Casomorphins - Novel Opioid Peptides Derived from Bovine Casein - Isolation and Structure. *In: Endogenous and Exogenous Opiate Agonists and Antagonists.* (Way, E. L. ; ed.), Pergamon Press, New York 233-236 (1980).
210. Henschen,A. & Lottspeich,F. Fibrinogen Structure and Fibrinolysis. *Haematologica* **65**, 535-541 (1980).
211. Henschen,A., Lottspeich,F., Töpfer-Petersen,E., Kehl,M. & R.Timpl. Fibrinogen Evolution: Intra - and Inter-species Comparisons. *Protides Biol. Fluids* **28**, 47-50 (1980).
212. Henschen,A., Lottspeich,F., Southan,C. & Töpfer-Petersen,E. Human Fibrinogen: Sequence, Sulfur Bridges, Glycosylation and Some Structural Variants. *Protides Biol. Fluids* **28**, 51-56 (1980).
213. Henschen,A. & Lottspeich,F. Aspects on Automated and Microscale Sequencing. *In: Methods in Peptide and Protein Sequence Analysis. Proc. 3rd Int. Conf.* (Birr, Chr. ; ed.), Elsevier/North-Holland, Amsterdam 105-115 (1980).
214. Henschen,A., Reich,E., Sauser,D. & Lottspeich,F. Zur Primärstruktur der Urokinase: Identifizierung von zwei Molekulargewichtsformen. *In: Mikrozirkulation und Prostaglandinstoffwechsel.* (Bluemel, G. Haas, S. ; eds.), Schattauer, Stuttgart 367-370 (1981).
215. Henschen,A., Lottspeich,F., Kehl,M., Töpfer-Petersen,E. & R.Timpl. Struktur-Evolutions-Funktions-Beziehungen in Fibrinogen. *Blut* **42**, 118 (1981).
216. Henschen,A., Lottspeich,F., Teschemacher,V. & Brantl,H. Beta-Casomorphins- Exorphins Derived from Casein Peptone. *In: Structure and Activity of Natural Peptides.* (Voelter W. Weitzel G. ; eds.), de Gruyter, Berlin 221-224 (1981).
217. Henschen,A., Lottspeich,F., Kehl,M. & Southan,C. Beziehungen zwischen Struktur, Funktion und Evolution im Fibrinogen. *In: Mikrozirkulation und Prostaglandinstoffwechsel.* (Bluemel, G. Haas, S. ; eds.), Schattauer, Stuttgart 271-274 (1981).
218. Henschen,A., Southan,C., Kehl,M. & Lottspeich,F. The Structural Error and its Relation to the Malfunction in Some Abnormal Fibrinogens. *Throm. Haemostas.* **46**, 181 (1981).
219. Henschen,A., Lottspeich,F., Brandt,W. & Holt,C.v. Some Recent Advances in the Methods of Protein Sequence Analysis. *In: Chemistry of Peptides and Proteins.* (Voelter,W. ; Wuensch, E. ; Ovchinnikov, Y. ; Ivanov, V. ; eds.),de Gruyter, Berlin, New York **1**, 143-151 (1982).
220. Henschen,A., Graeff,H. & Lottspeich,F. Preface. *In: Fibrinogen - Recent Biochemical and Medical Aspects.* (Henschen, A. ; Graeff, H. ; Lottspeich, F. ; eds.), de Gruyter, Berlin V-VI (1982).
221. Henschen,A., Sauser,D., Lottspeich,F., Wun,T.C. & Reich,E. On the Structure of Urokinase - Characterisation of Two Molecular Weight Forms. *In: Urokinase: Basic and Clinical Aspects.* (Mannucci P. M. D'Angelo A. ; eds.), Academic Press, London 27-31 (1982).
222. Henschen,A. & Lottspeich,F. Structural Characterisation of Different Molecular Weight Forms of Urokinase. *Abstr. 6th Internat. Congr. on Fibrinolysis, Lausanne* (1982).
223. Henschen,A., Kehl,M. & Lottspeich,F. On the Biosynthesis of Fibrinogen in Heterozygous Cases of Genetically Abnormal Fibrinogens. The Absence of Hybride Molecules. *Hoppe Seyler's Z. Physiol. Chem.* **363**, 876 (1982).
224. Henschen,A., Lottspeich,F., Kehl,M., Southan,C. & Lucas,J. Structure-Function-Evolution Relationship in Fibrinogen. *In: Fibrinogen - Recent Biochemical and Medical Aspects.* (Henschen, A. ; Graeff, H. Lottspeich F. ; eds.), de Gruyter, Berlin 67-89 (1982).

225. Henschen,A., Lottspeich,F., Kehl,M. & Southan,C. Covalent Structure of Fibrinogen. *Ann. N. Y. Acad. Sci.* 28-43 (1982).
226. Henschen,A., Kehl,M., Southan,C. & Lottspeich,F. Structure of Normal and Abnormal Fibrinogens. *In: Verhandlungen der Deutschen Gesellschaft f. innere Medizin, 88. Band, J. F. Bergmann Verlag, München* (1982).
227. Henschen,A., Kehl,M., Southan,C., Lottspeich,F. & D.Georgopoulos. Genetically Anormal Fibrinogens - Some Current Characterisation Strategies. *In: Fibrinogen - Structure, Functional Aspects, Metabolism, Vol. 2, (Haverkate, F. ; Henschen, A. ; Nieuwenhuizen, W. ; Straub, P. W. ; eds.), de Gruyter, Berlin* 125-144 (1982).
228. Henschen,A., Kehl,M., Southan,C. & Lottspeich,F. Fingerprint Analysis by HPLC as Applied to Genetically Abnormal Fibrinogens. *Abstract, III Int. Symp. on HPLC of Proteins, Peptides and Polynucleotides, Monte Carlo* (1983).
229. Henschen,A. & Lottspeich,F. Structural Characteristics and Plasmin Susceptibility of the Different Molecular Weight Forms of Urokinase. *In: Progress in Fibrinolysis - 6, Davidson, J. F. ; ed. ; Verlag Churchill Livingston, Edinburg* (1983).
230. Henschen,A., Kehl,M., Lottspeich,F. & Southan,C. Genetically Abnormal Fibrinogens - Strategies for Structure Elucidation, Including Fibrinopeptide Analysis. *In: Variants of Human Fibrinogen (Current Problems in Clinical Biochemistry) (Beck, E. Furlan, M. ; eds), Hans Huber Publishers, Bern, Stuttgart, Wien Vol 14,* (1984).
231. Hensel,R., Laumann,S., Lang,J., Heumann,H. & Lottspeich,F. Characterization of two D-glyceraldehyde-3-phosphate dehydrogenases from the extremely thermophilic archaebacterium Thermoproteus tenax. *Eur. J. Biochem.* **170**, 325-333 (1987).
232. Hensel,R., Jakob,I., Scheer,H. & Lottspeich,F. Proteins from hyperthermophilic archaea: stability towards covalent modification of the peptide chain. *Biochem. Soc. Symp.* **58**, 127-133 (1992).
233. Henze,K., Schnarrenberger,C., Kellermann,J. & Martin,W. Chloroplast and Cytosolic Triosephosphate Isomerases from Spinach - Purification, Microsequencing and Cdna Cloning of the Chloroplast Enzyme. *Plant Molecular Biology* **26**, 1961-1973 (1994).
234. Herrenknecht,K., Ozawa,M., Eckerskorn,C., Lottspeich,F., M.Lenter & Kemler,R. The uvomorulin-anchorage protein alpha-catenin is a vinculin- homolog. *Proc. Natl. Acad. Sci. U. S. A* **88**, 9156-9160 (1991).
235. Hintz,M., Hirzmann,J., Hobom,G., Linder,D., Lottspeich,F., Schott,H., Conraths,J., Zahner,H. & Stirm,S. Litomosoides carinii microfilarial sheaths: partial amino acid sequences of several major polypeptide constituents. *Mol. Biochem. Parasitology* **67**, 69-78 (1994).
236. Hlavica,P., Kellermann,J., Henschen,A., Mann,K.H. & Kunzelmulas,U. Evidence of the Existence of Structurally Distinct Hepatic and Pulmonary Forms of Microsomal Flavin-Containing Monooxygenase in the Rabbit. *Biological Chemistry Hoppe-Seyler* **371**, 521-526 (1990).
237. Hlavica,P., Kellermann,J., Golly,I. & Lehnerer,M. Chemical Modification of Tyr34 and Tyr129 in Rabbit Liver Microsomal Cytochrome B(5) Affects Interaction with Cytochrome-P-450 2B4. *European Journal of Biochemistry* **224**, 1039-1046 (1994).
238. Hoffmann,A., Conrath,H.S., Gross,G., Nimitz,M., Lottspeich,F. & Wuster,U. Purification and chemical characterization of á-trace protein from human cerebrospinal fluid: its identification as prostaglandin D synthase. *J. Neurochem.* **61**, 451-456 (1993).

239. Hoffmann,W., Königstorfer,A., Sterrer,S., Eckerskorn,C. & F.Lottspeich. Molecular characterisation of endymin precursors from goldfish brain. *Abstract Göteborg* (1987).
240. Hofmann,A., Noegel,A.A., Bomblies,L., Lottspeich,F. & M.Schleicher. The 100 kDa F-actin capping protein of Dictyostelium amoebae is a villin prototype ('protovillin'). *FEBS. Lett.* **328**, 71-76 (1993).
241. Hombach,J., Lottspeich,F. & Reth,M. Identification of the genes encoding the IgM-alpha and Ig-á components of the IgM antigen receptor complex by amino terminal sequencing. *Eur. J. Immun.* **20**, 2795-2799 (1990).
242. Hoschützky,H., Lottspeich,F. & Jann,K. Isolation and characterization of the alpha-Galactosyl-(1,4)- á-Galactosyl specific adhesin (P-adhesin) from fimbriated Escherichia coli. *Infections and Immunity* **57**, 76-81 (1989).
243. Houry,W., Frischman,D., Eckerskorn,C., Lottspeich,F. & F.U.Hartl. Identification of in vivo substrates of the chaperonin GroEL. *Nature* **402**, 147-154 (1999).
244. Hönlinger,A., Kübrich,M., Moczek,M., Gärtner,F., Mallet,L., Bussereau,F., Eckerskorn,C., Lottspeich,F., Dietmeier,K., Jacquet,M. & Pfanner,N. The mitochondrial receptor complex: MOM22 is essential for cell viability and directly interacts with preproteins. *Mol. Cell. Biol.* **15**, 3382-3389 (1995).
245. Hönlinger,A., Bömer,U., Alconade,A., Eckerskorn,C., F.Lottspeich, Dietmeier,K. & Pfanner,N. Tom7 modulates the dynamics of the mitochondrial outer membrane translocase and plays a pathway-related role in protein import. *EMBO J.* **15**, 2125-2137 (1996).
246. Hörger,S., Gallert,B., Kellermann,J. & Voelter,W. Curtius,H.-C., Ghisla,S. & Blau,N. (eds.), pp. 749-750 (ΕΣΧΟΜ Σχίενχε Πυβλίσηερεσ Β.ς.,1992).
247. Hucho,F., Oberthür,W., Lottspeich,F. & Wittmann-Liebold,B. A structural model of the ion channel of the nicotinic acetylcholine receptor. In: *Nicotinic Acetylcholine Receptor (Maelicke, A. ; ed.), Springer Verlag, Berlin-Heidelberg* 115-127 (1986).
248. Hucho,F., Oberthür,W. & Lottspeich,F. The ion channel of the nicotinic acetylcholine receptor is formed by the homologous helices M II of the receptor subunits. *FEBS Lett.* **205**, 137-142 (1986).
249. Hucho,F., Oberthür,W., Muhn,P., Lottspeich,F. & Wittmann,B. The ion channel of the acetylcholine receptor. *Abstr. 17th FEBS Meeting, Berlin* (1986).
250. Hucho,F., Oberthür,W. & Lottspeich,F. Photoaffinity labeling and localization by microsequencing of an ion channel protein. In: *Modern Methods in Protein Chemistry (Tschesche, H. ; ed.) W. de Gruyter, Berlin-New York* **3**, 161-184 (1988).
251. Hünig,T., Tiefenthaler,G., Mitnacht,R., Köhler,C., F.Lottspeich & Meuer,S. The "Erythrocyte Receptor" of T-Lymphocytes and T11 Target Structure (T11TS): Complementary Cell Interaction Molecules Involved in T-Cell Activation. *Behring Inst. Mitt.* **81**, 31-40 (1987).
252. Hünig,T., Mitnacht,G., Tiefenthaler,G. & Lottspeich,F. Isolation, Biochemical Analysis and N-Terminal Amino acid Sequence of a Cell Surface Glycoprotein that Binds to the "Erythrocyte Receptor" of T-Lymphocytes. *Haematol. Bloodtransfus.* **31**, 337-340 (1987).
253. Hüttemann,M., Exner,S., Arnold,S., Lottspeich,F. & B.Kadenbach. The cDNA sequences of cytochrome c oxidase subunit VIa from carp and rainbow trout suggest the absence of isoforms in fishes. *Biochem. Biophys. Acta* **1319**, 14-18 (1997).

254. Illmensee,K., Spitzer,D., Murach,F., Lottspeich,F., Müller,H. & Staudach,A. Different protein patterns derived from immature and mature human follicles. *Eur. J. Physiol.* **429**, 142 (1995).
255. Ismail,M.G., Ries,C., Lottspeich,F., Zang,C., Kolb,H.J. & P.E.Petrides. Autocrine regulation of matrix metalloproteinase-9 gene expression and secretion by tumor necrosis factor-alpha (TNF-alpha) in NB4 leukemic cells: specific involvement of TNF receptor type 1. *Leukemia* **12**, 1136-1143 (1998).
256. Jauris-Heipke,S., Fuchs,R., Hofmann,A., Lottspeich,F., Preac,M., Soutschek,E., Will,G. & Wilske,B. Molecular characterization of the p100 gene of *Borrelia burgdorferi* strain PKO. *FEMS Microbiol. Lett.* **114**, 235-242 (1993).
257. Jungblut,P., Eckerskorn,C., Lottspeich,F. & Klose,J. Identifizierung von Proteinen aus zweidimensionalen Proteinmustern durch Blotting auf aktivierte Glasfasern und anschließende Ansequenzierung. In: *Elektrophorese Forum '87 (Radola, B. J. ; ed.)* 413-415 (1987).
258. Jungblut,P., Eckerskorn,C., Klose,J., Gärtner,P. & F.Lottspeich. Semidry blotting conditions for blotting of proteins from two dimensional gels onto acid etched glass fibers or polyvinyliden difluoride membranes. *Biol. Chem. Hoppe Seyler* **369**, 952 (1988).
259. Jungblut,P., Eckerskorn,C., Lottspeich,F. & Klose,J. Blotting efficiency investigated by using two-dimensional electrophoresis, hydrophobic membranes and proteins from different sources. *Electrophoresis* **11**, 581-588 (1990).
260. Jungblut,P., Eckerskorn,C., Lottspeich,F. & Klose,J. Comparison of hydrophobic membranes for blotting of proteins from polyacrylamide gels. *J. Prot. Chem.* 288 (1990).
261. Jungbluth,A., Eckerskorn,C., Gerisch,G., Lottspeich,F., S.Stocker & Schweiger,A. Stress-induced tyrosine phosphorylation of actin in Dictyostelium cells and localization of the phosphorylation site to tyrosine-53 adjacent to the DNase I binding loop. *FEBS Lett.* **375**, 87-90 (1995).
262. Jurk,M., Weissinger,F., Lottspeich,F., Schwarz,U. & E.-L- Winnaker. Characterization of the single strand-specific BPV-1 origin binding protein, SPSF I, as the HeLa Pur (alpha) factor. *Nucleic Acid Res.* **14**, 2799-2807 (1996).
263. Kadenbach,B., Schlerf,A., Mengel,T., Hengst,L., Cao,X., G.Suske, Eckerskorn,C. & Lottspeich,F. Tissue-specific expression of nuclear genes for mitochondrial enzymes. In: *Organelles in Eukaryotic Cells: Molecular Structure and Interactions (J. M. Tager; A. Azzi; S. Papa; F. Guerrieri; eds), Plenum Publ. Corp. New York* 143-156 (1989).
264. Kadenbach,B., Stroh,A., Becker,A., Eckerskorn,C. & F.Lottspeich. Tissue and species - specific expression of cytochrome c oxidase isoenzymes in vertebrates. *Biochim. Biophys. Acta* **1015**, 368-372 (1990).
265. Kaltenhauser,U., Kellermann,J., Lottspeich,F. & Honnegger,H.W. Purification of the neurohormone bursicon from insect larva. In: *Gen - brain -behaviour (Eds. : N. Elsner et al.)* 607 (1993).
266. Kaltenhauser,U., Kellermann,J., Andersson,K., Lottspeich,F. & Honegger,H.W. Purification and partial characterization of bursicon, a cuticle sclerotizing neuropeptide in insects, from *Tenebrio molitor*. *Insect Biochem. Molec. Biol.* **25**, 525-533 (1995).
267. Katzenmeier,G., Schmid,C., Kellermann,J., Lottspeich,F. & A.Bacher. Sequence of GTP cyclohydrolase I from *Escherichia coli*. *Biol. Chem. Hoppe-Seyler* **372**, 991-997 (1991).
268. Kehl,M., Lottspeich,F. & Henschen,A. Analysis of Human Fibrinopeptides by High Performance Liquid Chromatography. *Hoppe Seyler's Z. Physiol. Chem.* **362**, 1661-1664 (1981).

269. Kehl,M., Lottspeich,F. & Henschen,A. HPLC - Analyse in der Proteinstrukturaufklärung. *Abstr. Int. Symp. on Practical Aspects of Modern HPLC, Berlin* (1981).
270. Kehl,M., Lottspeich,F. & Henschen,A. High Performance Liquid Chromatography of Proteins as Applied to Fibrinogen Chains. *Hoppe Seyler's Z. Physiol. Chem.* **363**, 1501-1505 (1982).
271. Kehl,M., Lottspeich,F. & Henschen,A. Genetically Abnormal Fibrinogens Releasing Abnormal Fibrinopeptides As Characterised By High Performance Liquid Chromatography. *In: Fibrinogen - Structure, Functional Aspects, Metabolism, Vol. 2, (Haverkate, F. ; Henschen, A. ; Nieuwenhuizen, W. ; Straub, P. W. ; eds.), de Gruyter, Berlin* 184-193 (1982).
272. Kehl,M., Lottspeich,F. & Henschen,A. High Performance Liquid Chromatography as Applied to the Studies on the Fibrinogen Structure. *In: Practical Aspects of Modern HPLC. (Molnar, I. ;ed.), de Gruyter, Berlin* 137-159 (1982).
273. Kehl,M., Lottspeich,F. & Henschen,A. Fibrinopeptide-Bestimmung mittels Hochdruckflüssigkeitschromatographie. *In: Haemostase, Thrombophilie und Arteriosklerose (van de Loo, J. B. ; Asbeck, F. ; ed.) Schattauer, Stuttgart* 665-668 (1982).
274. Kehl,M., Lottspeich,F. & Henschen,A. Analysis of Human Fibrinopeptides by High Performance Liquid Chromatography: Quantitative Determination and Kinetics of Release. *In: Fibrinogen - Recent Biochemical and Medical Aspects. (Henschen, A. ; Graeff, H. ; Lottspeich F. ;eds.), de Gruyter, Berlin* 217-226 (1982).
275. Kehl,M., Lottspeich,F. & Henschen,A. Structure Elucidation of Genetically Abnormal Fibrinogens: Application of High Performance Liquid Chromatography. *Thromb. Haem.* **50**, 443 (1983).
276. Kehl,M., Lottspeich,F. & Henschen,A. Reversed Phase High-Performance Liquid Chromatography of Proteins. The Separation of Human Fibrinogen Chains. *Abstr. VII. Int. Symp. on Column Chromatography, Baden Baden* (1983).
277. Kehl,M. & Lottspeich,F. High performance liquid chromatography in structure analysis of membrane of membrane proteins. *Abstr. 17th FEBS Meeting, Berlin* (1986).
278. Kehl,M. & Lottspeich,F. HPLC of membrane proteins. *Abstr. 17th Int. Symp. on Chromatography, Vienna Sept.*, (1988).
279. Kehl,M. & Lottspeich,F. Limitations of high speed reversed phase HPLC observed with integral membrane proteins. *J. Chromatogr.* **477**, 131-137 (1989).
280. Kehl,M., Lottspeich,F. & Oesterhelt,D. Halorhodopsin: Some protein-chemical aspects of a transmembrane protein. *In: Chemistry of Peptides and Proteins Vol 4*, (1989).
281. Kehl,M., Andersson,K., Wöhl,T., Sandholzer,U. & Lottspeich,F. Comparison of yeast wildtype and gene disruptants of the hypusine protein by two-dimensional gel electrophoresis using immobilized pH gradients in the first dimension. *In: 2D-PAGE '91, Proceedings of the International Meeting on Two-Dimensional Electrophoresis, ed. N. J. Dunn, Zebra Printing, Perivale* 199-200 (1991).
282. Kehl,M., Andersson,K. & Lottspeich,F. 2-D Elektrophorese von zwei Tumorzelllinien unter der Verwendung der Immobilintechnik: überlappende pH-Bereiche. *In: Elektrophorese Forum 1991 (Radola, B. J. , Ed.)* 367-372 (1991).
283. Kellermann,J., Lottspeich,F., Henschen,A. & Müller-Esterl,W. On the Structure of Human High Molecular Weight Kininogen. Amino Acid Sequence of the Light Chain. *Abstr. 8. Int. Kongr. on Thrombosis, Istanbul, Turkey* (1984).

284. Kellermann,J., Müller-Esterl,W., Lottspeich,F. & Henschen,A. On the evolution of mammalian kininogens. *Behring. Inst. Mitt.* **79**, 48-61 (1986).
285. Kellermann,J., Müller-Esterl,W., Lottspeich,F. & Henschen,A. Kininogens: A model of their evolutionary origin. *Biol. Chem. Hoppe-Seyler* **367**, (1986).
286. Kellermann,J., Lottspeich,F., Henschen,A. & Müller-Esterl,W. Completion of the primary structure of human high molecular weight kininogen. The amino acid sequence of the entire heavy chain and evidence for its evolution by gene triplication. *Eur. J. Biochem.* **154**, 471-478 (1986).
287. Kellermann,J., Müller-Esterl,W., Lottspeich,F. & Henschen,A. On the evolution of mammalian kininogens. In: *Kallikreins (Roleen, J. W. ; et al. ; eds), Schattauer Verlag* (1986).
288. Kellermann,J., Thelen,C., Lottspeich,F., Henschen,A., Vogel,R. & Müller-Esterl,W. Arrangement of the disulfide bridges in human low-Mr kininogen. *Biochem. J.* **247**, 15-21 (1987).
289. Kellermann,J., Lottspeich,F., Geiger,R. & Deutzmann,R. Human urinary kallikrein - Amino acid sequence and carbohydrate attachment sites. *Protein Seq. Data Anal.* **1**, 177-182 (1988).
290. Kellermann,J., Lottspeich,F., Geiger,R. & Deutzmann,R. Human urinary kallikrein: amino acid sequence and carbohydrate attachment sites. *Adv. Exp. Med. Biol.* **247**, 519-525 (1989).
291. Kellermann,J., Schott,K., Lottspeich,F., Mehl,E. & Bacher,A. Studies on Riboflavin synthases of *Bacillus subtilis*. Amino acid sequence of the alpha subunit. In: *Chemistry and Biology of Pteridines (H. Ch. Curtius, S. Ghista, N. Blau, eds), W. de Gryuter, New York*, 336-339 (1990).
292. Kellermann,J. Kapillarelektrophorese Chromatographie. Schneider,H.J. (ed.), pp. 123-129 (Bertsch Verlag, Straubing,1993).
293. Kellermann,J. Bioanalytik. Lottspeich,F. & Zorbas,H. (eds.), pp. 179-194 (Spektrum Akademischer Verlag, Heidelberg, Berlin,1998).
294. Kellermann,J. Bioanalytik. Lottspeich,F. & Zorbas,H. (eds.), pp. 185-296 (Spektrum Akademischer Verlag, Heidelberg, Berlin,1998).
295. Kellermann,J. Proteolytik Enzymes - Tools and Targets. Sterchi,E. & Stöcker,W. (eds.), pp. 233-252 (Springer Lab Manual, Heidelberg, Berlin,1999).
296. Kiefersauer,R., Stetefeld,J., Gomis-Rüth,F.X., Romao,M.J., Lottspeich,F. & Huber,R. Protein-Cristal density by volume measurement and amino acid analysis. *J. Appl. Cryst.* **29**, 311-317 (1996).
297. Kieran,M., Blank,V., Logeat,F., Vandekerckhove,J., F.Lottspeich, Bail,O.L., Urban,M.B., Kourilsky,P., P.A.Baeuerle & Israel,A. The DNA binding subunit of NF-kB is identical to factor KBF1 and homologous to the rel oncogene product. *Cell* **62**, 1007-1018 (1990).
298. Kirch,H.H., Uhrig,H., Lottspeich,F., Salamini,F. & R.D.Thompson. Characterization of proteins associated with self- incompatibility in *Solanum tuberosum*. *Theor. Appl. Genet.* **78**, 581-588 (1989).
299. Kirschner,K., Szadkowsky,H., Henschen,A. & Lottspeich,F. Limited Proteolysis of N-(5'-phosphoribosyl) anthranilate Isomerase: Indoleglycerol Phosphate Synthase from *Escherichia Coli* Yields Two Different Enzymatically Active, Functional Domains. *J. Mol. Biol.* **143**, 395-405 (1980).
300. Kisselev,A.F., Mentele,R., Schulze,A. & vonderHelm,K. Cleavage of Human Serpins by Hiv-1 Proteinase. *Journal of Cellular Biochemistry* 168 (1994).

301. Kisselev,A.F., Mentele,R. & vanderHelm,K. Cleavage of the complement system C3 component by HIV-1 proteinase. *Biological Chemistry* **378**, 439-442 (1997).
302. Klenk,P., Schwass,V., Lottspeich,F. & Zillig,W. Component H of the DNA-dependent RNA-polymerase of Archaea is homologous to component RPB5 shared by the three eucaryal nuklear RNA polymerases. *Nucl. Acids Res.* **20**, 4659 (1992).
303. Klenk,P., Meier,D., Durovic,P., Schwass,V., F.Lottspeich, Dennis,P.P. & Zillig,W. RNA polymerase of Aquifex pyrofilus: implications for the evolution of the bacterial rpoBC operon and extremely thermophilic bacteria. *J. Mol. Evol.* **48**, 528-541 (1999).
304. Klier,H. & Lottspeich,F. Detection of hypusine-containing protein (HP=eIF-5A) in crude yeast extracts by two-dimensional Western blots. *Electrophoresis* **13**, 732-735 (1992).
305. Klier,H., Wöhl,T., Eckerskorn,C., Magdolen,V. & Lottspeich,F. Determination and mutational analysis of the phosphorylation site in the hypusine-containing protein Hyp2p. *FEBS Lett.* **334**, 360-364 (1993).
306. Klier,H., Csonga,R., Steinkasserer,A., Wöhl,T., F.Lottspeich & Eder,J. Purification and characterization of human deoxyhypusine synthase from HeLa cells. *FEBS Lett.* **364**, 207-210 (1995).
307. Klier,H., Csonga,R., Joao,H.C., Eckerskorn,C., Auer,M., F.Lottspeich & Eder,J. Isolation and structural characterization of different isoforms of the hypusine-containing protein eiF5A from HeLa cells. *Biochemistry* **34**, 14693-14702 (1995).
308. Klier,H., Magdolen,V., Schrickler,R., Srobel,G., F.Lottspeich & Bandlow,W. Cytoplasmic and mitochondrial forms of yeast adenylate kinase 2 are N-acetylated. *Biochim. Biophys. Acta* **1280**, 251-256 (1996).
309. Koch,C., Wollmann,P., Dahl,M. & Lottspeich,F. Expression of yeast G1 cyclin CLN2 requires Ctr9 and Paf1p. *Nucl. Acid Res.* **27**, 2126-2134 (1999).
310. Koch,I., Hofschneider,P.H., Lottspeich,F., Eckerskorn,C. & R.Koshy. Tumor-related expression of a translations-elongation-factor- like protein. *Oncogene* **5**, 839-843 (1990).
311. Koettnitz,K., Wöhl,T., Kappel,B., Lottspeich,F., Hauber,J. & Bevec,D. Identification of a new member of the human eIF5A gene family. *Gene* **159**, 283-284 (1995).
312. Kopetzki,E., Entian,K.D., Lottspeich,F. & Mecke,D. Purification procedure and N-terminal amino acid sequence of yeast malate-dehydrogenase isoenzymes. *Biochem. Biophys. Acta* **912**, 398-403 (1987).
313. Kostron,B., Market,D., Kellermann,J., Carter,C.E. & Honegger,H.W. Antisera against Periplaneta americana Cu,Zn-superoxide dismutase (SOD): separation of the neurohormone bursicon from SOD, and immunodetection of SOD in the central nervous system. *Insect Biochemistry and Molecular Biology* **29**, 861-871 (1999).
314. Köhler,S., Leimeister-Wächter,M., Chakraborty,T., F.Lottspeich & Goebel,W. The gene coding for protein p60 of *Listeria monocytogenes* and its use as a specific probe for *Listeria monocytogenes*. *Infections and Immunity* **58**, 1943-1950 (1990).
315. Königstorfer,A., Sterrer,S., Eckerskorn,C., Lottspeich,F., R.Schmidt & Hoffmann,W. Molecular characterization of an ependymin precursor from goldfish brain. *J. Neurochem.* **52**, 310-312 (1989).

316. Königstorfer,A., Sterrer,S., Müller-Schmid,A., Ganß,B., F.Lottspeich, Gertzen,M., Rinder,H. & Hoffmann,W. Ependymins: A class of divergent calcium binding glycoproteins in the cerebrospinal fluid of fish. *Abstr. Institutssymp. 1990* (1990).
317. Köppel,B., Schleicher,M., Lottspeich,F., Lobeck,K., A.A.Noegel & Stewart,M. Molecular architecture of the rod domain of the Dictyostelium gelation factor (ABP-120). *J. Mol. Biol.* **submitted**, (1994).
318. Körte,A., Michaelis,U., Lottspeich,F. & Rödel,G. Overexpression, purification and determination of the proteolytic processing site of the yeast mitochondrial CBS1 protein. *Curr. Genet.* **20**, 87-90 (1991).
319. Krantz,S., Salazar,R., Brandt,R., Kellermann,J. & F.Lottspeich. Purification and partial amino acid sequencing of a fructosyllysine-specific binding protein from cell membranes of the monocyte-like cell line U937. *BBA-Mol. Cell. Res.* **1266**, 109-112 (1995).
320. Kratzer,R., Eckerskorn,C., Karas,M. & Lottspeich,F. Suppression effects in enzymatic peptide ladder sequencing using ultraviolet - matrix assisted laser desorption/ionization - mass spectrometry. *Electrophoresis* **19**, 1910-1919 (1998).
321. Krauth-Siegel,R.L., Müller,J.G., Lottspeich,F. & Schirmer,R.H. Glutathione reductase and glutamate dehydrogenase of Plasmodium falciparum, the causative agent of tropical malaria. *Eur. J. Biochem.* **235**, 345-350 (1996).
322. Kreft,J., Fumke,D., Schlesinger,R., Lottspeich,F. & Goebel,W. Purification and characterization of cytolysins from Listeria monocytogenes serovar 4b and Listeria ivanovii. *Acta Microbiol. Hung.* **36**, 189-192 (1989).
323. Kreft,J., Funke,D., Haas,A., Lottspeich,F. & Goebel,W. Production, purification, and characterization of hemolysins from Listeria ivanovii and Listeria monocytogenes SV 4b. *FEMS Microbiol. Lett.* **57**, 197-202 (1989).
324. Kretzschmar,M., Kaiser,K., Lottspeich,F. & Meisterernst,M. A novel mediator of class II gene transcription with homology to viral immediate early transcriptional regulators. *Cell* **78**, 525-534 (1994).
325. Kutchan,T.M., Hampp,N., Lottspeich,F., Beyreuther,K. & M.H.Zenk. The cDNA clone for strictosidine synthase from Rauvolfia serpentina: DNA sequence determination and expression in Escherichia coli. *FEBS Lett.* **237**, 40-44 (1988).
326. Laessing,U., Giordano,S., Lottspeich,F. & Stürmer,C.A.O. Molecular cloning of neuroilin and its expression in goldfish and embryonic zebrafish CNS. *Abstr. Neuroscience Meeting, Washington Nov 93* (1993).
327. Laessing,U., Giordano,S., Stecher,B., Lottspeich,F. & C.A.O.Stuermer. Molecular characterization of fish Neuroilin: a growth- associated cell surface protein and member of the immunoglobulin superfamily with similarities to chick DM-. *Differentiation* **56**, 21-29 (1994).
328. Langer,D., Lottspeich,F. & w.Zillig. A subunit of an archaeal DNA-dependent RNA polymerase contains the S1 motif. *Nucl. Acids Res.* **22**, 694 (1994).
329. Laudert,D., Pfannschmidt,U., Lottspeich,F., Holländer,H. & Weiler,E.W. Cloning, molecular and functional characterization of Arabidopsis thaliana allene oxide synthase (CPY-74), the first enzyme of the octadecanoid pathway to jasmonates. *Plant Mol. Biol.* **31**, 323-335 (1996).

330. Leffers,H., Gropp,F., Lottspeich,F., Zillig,W. & Garrett,R. Organisation and expression of DNA-dependent RNA-polymerase subunit genes in the archeobacterium Halobacterium halobium. *Abstr.* (1988).
331. Leffers,H., Gropp,F., Lottspeich,F., Zillig,W. & Garrett,R.A. Sequence, organization, transcription and evolution of RNA polymerase subunit genes from the archaeobacterial extreme halophiles Halobacterium halobium and Halococcus morrhuae. *J. Mol. Biol.* **206**, 1-17 (1989).
332. Leibrock,J., Lottspeich,F., Hohn,A., Hofer,M., Hengerer,B., Masiakowsky,P., Thoenen,H. & Barde,A. Molecular cloning and expression of brain-derived neurotrophic factor. *Nature* **341**, 149-152 (1989).
333. Li,X., Franz,J., Lottspeich,F. & Götz,R. Recombinant fish neurotrophin-6 is a heparin-binding glycoprotein: Implications for a role in axonal guidance. *Biochem. J.* **324**, 461-466 (1997).
334. Liebl,W., Ruile,P., Bronnenmeier,K., Riedel,K., F.Lottspeich & Greif,I. Analysis of a Themotoga maritima DNA fragment encoding two similar thermostable cellulases, CelA and CelB, and characterization of recombinant CelA. *Microbiol.* **142**, 2533-2542 (1996).
335. Liessem,B., Glombitza,G.J., Knoll,F., Lehmanns,J., J.Kellermann, Lottspeich,F. & Sandhoff,K. Photoaffinity labeling of human lysosomal α -hexosaminidase B. *J. Biol. Chem.* **270**, 23693-23699 (1995).
336. Lingner,J., Kellermann,J. & Keller,W. Cloning and Expression of the Essential Gene for Poly(A) Polymerase from Saccharomyces-Cerevisiae. *Nature* **354**, 496-498 (1991).
337. Linke,R.P., Floege,J., Lottspeich,F. & Deutzmann,R. Several beta-2-microglobulin fragments identified in an amyloidoma in a patient with long term hemodialysis. *In: Proceedings of the VI Int. Symp. on Amyloidosis, Aug. 1990, Oslo, Norway* in (1990).
338. Linke,R.P., Lottspeich,F., Floege,J., Hampl,H. & Deutzmann,H. Acidic charge variants of α 2-Microglubulin in amyloidosis in long-term hemodialysis. *Abst. Jomtien (Thailand 11-14. 3. 91)* (1991).
339. Linke,R.P., Gerhard,L. & Lottspeich,F. Brain-Restricted Amyloidoma of Immunoglobulin Lambda-Light Chain Origin Clinically Resembling Multiple-Sclerosis 30. *Biological Chemistry Hoppe-Seyler* **373**, 1201-1209 (1992).
340. Lottspeich,F. & Henschen,A. Amino Acid Sequence of Human Fibrin. Preliminary Note on the Completion of the gamma-Chain Sequence. *Hoppe Seyler's Z. Physiol. Chem.* **358**, 953-938 (1977).
341. Lottspeich,F. & Henschen,A. Amino Acid Sequence of Human Fibrin. Preliminary Note on an Internal Peptide Obtained by Cleaving the gamma-Chain at the Arginyl Bonds and Showing Sequence Homology with the C- Terminus. *Hoppe Seyler's Z. Physiol. Chem.* **358**, 703-707 (1977).
342. Lottspeich,F. & Henschen,A. Amino Acid Sequence of Human Fibrin. Preliminary Note on Three Internal Peptides Obtained by Cyanogen Bromide Cleavage of the beta-Chain. *Hoppe Seyler's Z. Physiol. Chem.* **358**, 1639-1642 (1977).
343. Lottspeich,F. & Henschen,A. Amino Acid Sequence of Human Fibrin. Preliminary Note on the Peptides Obtained by Cyanogen Bromide Cleavage of the beta- Chain. *Hoppe Seyler's Z. Physiol. Chem.* **358**, 1521-1524 (1977).

344. Lottspeich,F. & Henschen,A. Amino Acid Sequence of Human Fibrin. Preliminary Note on the Completion of the N-Terminal Part of the alpha-Chain Sequence. *Hoppe Seyler's Z. Physiol. Chem.* **359**, 1611-1616 (1978).
345. Lottspeich,F. & Henschen,A. Amino Acid Sequence of Human Fibrin. Preliminary Note on the Completion of the C-Terminal Part of the alpha-Chain Sequence. *Hoppe Seyler's Z. Physiol. Chem.* **359**, 1451-1455 (1978).
346. Lottspeich,F., Geiger,R., Henschen,A. & Kutzbach,C. N-Terminal Amino Acid Sequence of Human Urinary Kallikrein. Homology with Other Serine Proteases. *Hoppe Seyler's Z. Physiol. Chem.* **360**, 1947-1950 (1979).
347. Lottspeich,F. & Henschen,A. Plasmin Cleavage Sites in the Amino Acid Sequences Linking Fragments E and D in Human Fibrin. *In: Haemostasis and Thrombosis. (Neri Serneri, G. G. Prentice, C. R. M. ; eds.) Academic Press, London 63-767 (1979).*
348. Lottspeich,F. & Henschen,A. Completion of Amino Acid Sequences in Fibrinogen. *Thromb. Haem.* **42**, 13 (1979).
349. Lottspeich,F. & Henschen,A. Completion of the Fibrinogen Structure: alpha-Chain Sequence. *Abstr. XIth Int. Congr. Biochem. ; Toronto 153*, (1979).
350. Lottspeich,F. & Henschen,A. Die Fibrinolyse im Licht der Fibrinogenstrukturaufklärung. *In: Fibrinogen, Fibrin and Fibrin Glue. (Schimpf, K. ; ed.), Schattauer Verlag, Stuttgart 61-63 (1980).*
351. Lottspeich,F., Fock-Nüzel,R., Henschen,A., Müller-Esterl,W. & Fritz,H. Structural Studies on Acrosin, a Serin Protease of the Acrosomal Membrane. *Hoppe Seyler's Z. Physiol. Chem.* **361**, 1341 (1980).
352. Lottspeich,F., Henschen,A., Brantl,V. & Teschemacher,H. Novel Opioid Peptides Derived from Casein (beta- Casomorphins). III. Synthetic Peptides Corresponding to Components from Casein Peptone. *Hoppe Seyler's Z. Physiol. Chem.* **361**, 1835-1839 (1980).
353. Lottspeich,F. Identification of the Phenylthiohydantoin Derivatives of Amino Acids by High Pressure Liquid Chromatography, Using a Ternary, Isocratic Solvent System. *Hoppe Seyler's Z. Physiol. Chem.* **361**, 1829-1834 (1980).
354. Lottspeich,F., Henschen,A., Kehl,M. & Southan,C. HPLC in Protein Structure Analysis: Isolation, Fingerprinting, Variant Detection. *Abstr. Internat. Symposium on HPLC of Proteins and Peptides, Washington (1981).*
355. Lottspeich,F., Henschen,A., Dittmann,B. & Müller-Esterl,W. Aminosäuresequenz von humanem hochmolekularem Kininogen im Bereich der Kallikreinspaltstellen. *In: Mikrozirkulation und Prostaglandinstoffwechsel. (Bluemel, G. Haas, S. ;eds.), Schattauer, Stuttgart 161-164 (1981).*
356. Lottspeich,F., Henschen,A. & Dittmann,B. Zur Primärstrukturaufklärung von humanem hochmolekularem Kininogen. *Blut* **42**, 110 (1981).
357. Lottspeich,F., Henschen,A. & Hupe,K.P. Preface. *In: High Performance Liquid Chromatography in Protein and Peptide Chemistry. (Lottspeich, F. ; Henschen, A. ; Hupe, K. P. ; eds.), de Gruyter, Berlin V-VI (1981).*
358. Lottspeich,F. Identification of Phenylthiohydantoin Amino Acids for Microscale Sequencing. *In: High Performance Liquid Chromatography in Protein and Peptide Chemistry. (Lottspeich, F. ; Henschen, A. ; Hupe, K. P. ; eds.), de Gruyter, Berlin 259-268 (1981).*

359. Lottspeich,F., Henschen,A. & Müller-Esterl,W. On the Structure of Human High Molecular Weight Kininogen. *Abstr. Int. . Conf. on Kinin, Munich AP16*, (1981).
360. Lottspeich,F., Henschen,A. & Müller-Esterl,W. HPLC in the Structural Studies of Low Molecular Weight Kininogen. *Abstr. VII Int. Symp. on Column Chromatography, Baden Baden* (1983).
361. Lottspeich,F. & Eisenbeiss,F. Isocratic Separation of All Common PTH Amino Acids. *Abstract, III Int. Symp. on HPLC of Proteins, Peptides and Polynucleotides, Monte Carlo* (1983).
362. Lottspeich,F. HPLC in Amino Acid Sequence Analysis. *Abst. IV. Int. Symp. on HPLC of Peptides and Proteins, Baltimore* (1984).
363. Lottspeich,F., Kellermann,J., Henschen,A., Müller-Esterl,W. & Rauth,G. Human Low Molecular Mass Kininogen. Amino Acid Sequence of the Light Chain; Homology with Other Protein Sequences. *Eur. J. Biochem.* **142**, 227-232 (1984).
364. Lottspeich,F., Kellermann,J., Henschen,A., Müller-Esterl,W. & Rauth,G. On the Structure of Human Low Molecular Weight Kininogen. Amino Acid Sequence of the Light Chain. *Abstr. 8. Int. Kongr. on Thrombosis, Istanbul, Turkey* (1984).
365. Lottspeich,F. Microscale Isocratic Separation of Phenylthiohydantoin Amino Acid Derivatives. *J. Chromatogr.* **326**, 321-327 (1985).
366. Lottspeich,F. High performance liquid chromatography in microsequencing. *Trends Anal. Chem.* **4**, 244-246 (1985).
367. Lottspeich,F., Kellermann,J., Henschen,A., Foertsch,B. & Müller-Esterl,W. The amino acid sequence of the light chain of human high molecular mass kininogen. *Eur. J. Biochem.* **152**, 307-314 (1985).
368. Lottspeich,F. Improved isocratic separation of phenylthiohydantoin amino acids down to the femtomole level. *in: Modern Methods in Protein Chemistry (Tschesche, H. ; ed)* **2**, 347-352 (1985).
369. Lottspeich,F., Loibner,H., Seidl,G. & Wrann,M. Struktur-Funktionsuntersuchungen von Interleukin-2 Disulfidvarianten. *Abst. Innsbruck* (1986).
370. Lottspeich,F. & Eckerskorn,C. Technical aspects of electroblotting onto activated glass fiber sheets. *Abstr. VI. Int. Conf. on Methods in Protein Sequence Analysis, Seattle* (1986).
371. Lottspeich,F. High performance liquid chromatography in protein chemistry. *Chromatographia* 407-410 (1986).
372. Lottspeich,F., Kellermann,J., Henschen,A., Müller-Esterl,W. & Rauth,G. Amino Acid Sequence of the Light Chain of Human Low Molecular Mass Kininogen. *In: KININS IV, Part A, (Greenbaum, L. M. ; Margolius, H. S. ; eds) Plenum Publishing Corporation* 91-95 (1986).
373. Lottspeich,F. HPLC in der Proteinchemie. *Lebensmittel Biotechnologie* **4**, 9-11 (1986).
374. Lottspeich,F. Amino Acids. *Fresenius. Z. Anal. Chem.* **327**, 23-24 (1987).
375. Lottspeich,F., Eckerskorn,C. & Kehl,M. Protein isolation by electroblotting on modified glass fiber. *Biol. Chem. Hoppe Seyler* **369**, 952 (1988).
376. Lottspeich,F., Eckerskorn,C., Mewes,W. & Kehl,M. Identification of proteins electroblotted from 1-D and 2-D gels onto siliconized glass fiber. *Abstr. VII Int. Conference on Methods in Protein Sequence Analysis, Berlin* 152 (1988).

377. Lottspeich,F. & Eckerskorn,C. Protein analysis from 2-D electrophoresis. *Abstr. Two-Dimensional Electrophoresis, Vienna Nov.*, (1988).
378. Lottspeich,F. & Eckerskorn,C. Two dimensionally separated proteins are available for protein chemical analysis on microscale. *In: Elektrophoresis Forum '89 (B. Radola, ed.)* 72-83 (1989).
379. Lottspeich,F. & Oesterhelt,D. Evaluation of modern protein chemistry methods using reaction centers. *Deutsch Sov. Symp. 1989 in press*, (1989).
380. Lottspeich,F., Eckerskorn,C. & Mewes,W. Evaluation of siliconized glass fiber membrane for protein chemical analysis. *In: Methods in Protein Sequence Analysis (Wittmann, B. ; Erdmann, V. , eds) Springer Berlin* 240-247 (1989).
381. Lottspeich,F. Elektroblotting und Proteinanalytik. *Vortrag ABI Usermeeting, Frankfurt* (1989).
382. Lottspeich,F. & Eckerskorn,C. Protein structure analysis adds a new dimension to 2D-PAGE. *In: Two-Dimensional Electrophoresis (I. Endler, S. Hanash, Eds.) VCH Publisher, Weinheim* 145-157 (1989).
383. Lottspeich,F. HPLC and Electrophoresis - competitors or partners. *Chromatographia* **28**, 89-92 (1989).
384. Lottspeich,F. Initial yield in amino acid sequence analysis is a surface dependent phenomenon. *J. Prot. Chem.* **9**, 268-269 (1990).
385. Lottspeich,F. Gentechnologische Arbeitsgruppe Mikrosequenzierung. *MPG Jahrbuch* (1990).
386. Lottspeich,F. Schnelle Reversed Phase Chromatographie von hydrophoben Proteinen. *6. Waldbronner Themen* (1990).
387. Lottspeich,F. Schnelle Reversed Phase Chromatographie von hydrophoben Proteinen. *PeakInfo, Hewlett Packard* **4**, (1990).
388. Lottspeich,F. Methodische Aspekte in der Analytik von elektrophoretisch aufgetrennten Proteinen. *In: Elektrophorese Forum 1991 (Radola, B. J. , Ed.)* 277-282 (1991).
389. Lottspeich,F., Eckerskorn,C. & Grimm,R. Amino acid analysis on microscale from electroblotted proteins. *In: Cell Biology: A Laboratory Handbook (J. E. Celis, ed), Academic Press* 417-421 (1994).
390. Lottspeich,F., Eckerskorn,C. & Grimm,R. Amino acid analysis on microscale. *In: Cell Biology: a laboratory handbook (second edition) Vol. 4*, 303-310 (1998).
391. Lottspeich,F. Proteomanalyse - Ein Weg zur Funktionsanalyse von Proteinen. *Angew. Chem.* **111**, 2630-2647 (1999).
392. Lottspeich,F. Proteome analysis: a pathway to the functional analysis of proteins. *Angew. Chem. Int. Ed.* **38**, 2476-2492 (1999).
393. Löbermann,H., Lottspeich,F., Bode,W. & Huber,R. Interaction of Human alpha-1-Proteinase Inhibitor with Chymotrypsinogen A and Crystallization of a Proteolytically Modified alpha-1-Proteinase Inhibitor. *Hoppe Seyler's Z. Physiol. Chem.* **363**, 1377-1388 (1982).
394. Löffler,S., Lottspeich,F., Lanza,F., Azorsa,D.O., V.terMeulen & Schneider-Schaulies,J. CD9, a tetraspan transmembrane protein, renders cell susceptible to canine distemper virus. *J. Virology* **71**, 42-49 (1997).

395. Lucas,J., Henschen,A., Lottspeich,F., Voegeli,U. & Boller,T. Amino terminal sequence of ethylene-induced bean leaf chitinase reveals similarities to sugar-binding domains of wheat germ agglutinin. *FEBS Lett.* **193**, 208-210 (1985).
396. Lucas,J., Henriques,A.C., Lottspeich,F., Henschen,A. & Sanger,H.L. Amino acid sequence of the pathogenesis related leaf protein p14 from viroid-infected tomato reveals a new type of structurally unfamiliar proteins. *EMBO J.* **4**, 2745-2749 (1985).
397. Ludwig,H., Lottspeich,F., Henschen,A., Bacher,A. & R.Ladenstein. Heavy Riboflavin Synthase from *Bacillus Subtilis*. In: *Flavins and Flavoproteins* (Bray,R. C. ; Engel,P. C. Mayhew, S. G. ; eds.), de Gruyter, Berlin-New York 379-382 (1984).
398. Ludwig,H.C., Lottspeich,F., Henschen,A., Ladenstein,R. & A.Bacher. Heavy riboflavin synthase of *Bacillus subtilis*. Primary structure of the beta-subunit. *J. Biol. Chem.* **262**, 1016-1021 (1987).
399. Magdolen,V., Klier,H., Wohl,T., Klink,F., Hirt,H., Hauber,J. & Lottspeich,F. The function of the hypusine-containing proteins of yeast and other eukaryotes is well conserved. *Mol. Gen. Genetics.* **244**, 646-652 (1994).
400. Magdolen,V., Rettenberger,P., Lopens,A., Oi,H., F.Lottspeich, Kellermann,J., Creutzburg,S., Goretzki,L., U.H.Weidle, Wilhelm,O., Schmitt,M. & Graeff,H. Expression of the human urokinase-type plasminogen activator receptor in *E. coli* and Chinese hamster ovary cells: Purification of the recombinant proteins and generation of polyclonal antibodies. *Electrophoresis* **16**, 813-816 (1995).
401. Maier,M., Reissert,G., Jerabeck,I., Lottspeich,F. & B.R.Binder. Identification of [hydroxyproline³]-lysyl-bradykinin released from human kininogens by human urinary kallikrein. *FEBS Lett.* **232**, 395-398 (1988).
402. Maier,M., Reissert,G., Jerabek,I., Bergmann,I., Balaun,E., Binder,B.R. & Lottspeich,F. Release of (hyp³)-kinins by tissue kallikreins of pig, rat and man. *Biochem. Pharmacol.* **39**, 549-553 (1990).
403. Maier,T., Lottspeich,F. & Bock,A. GTP hydrolysis by HypB is essential for nickel insertion into hydrogenases of *Escherichia coli*. *Eur. J. Biochem.* **230**, 133-138 (1995).
404. Manes,T., Holylaerts,M.F., Muller,R., Lottspeich,F., Holke,W. & Millan,J.L. Genetic complexity,structure, and characterization of highly active bovine intestinal alkaline phosphatases. *J. Biol. Chem.* **273**, 23353-23360 (1998).
405. Martin,H., Eckerskorn,C., Gartner,F., Rassow,J., F.Lottspeich & Pfanner,N. The yeast mitochondrial intermembrane space: purification and analysis of two distinct fractions. *Anal. Biochem.* **265**, 123-128 (1998).
406. Martin,W., Henze,K., Kellermann,J., Flechner,A. & Schnarrenberger,C. Microsequencing and cDNA cloning of the Calvin cycle OPPP enzyme ribose-5-phosphate isomerase (EC 5.3.1.6) from spinach chloroplasts. *Plant Molecular Biology* **30**, 795-805 (1996).
407. Marx,F., Haas,H., Reindl,M., Stoffler,G., Lottspeich,F. & B.Redl. Cloning, structural organization and regulation of expression of the *Penicillium chrysogenum* paf gene encoding an abundantly secreted protein with antifungal activity. *Gene* **167**, 167-171 (1995).
408. Masiakowski,P., Liu,H., Radziejewski,C., Lottspeich,F., W.Oberthuer, Wong,V., Lindsay,R.M., Furth,M.E. & Panayotatos,N. Recombinant human and rat ciliary neurotrophic factors. *J. Neurochem.* **57**, 1003-1012 (1991).

409. Mayr,J., Lupas,A., Kellermann,J., Eckerskorn,C., Baumeister,W. & Peters,J. A hyperthermostable protease of the subtilisin family bound to the surface layer of the Archaeon *Staphylothermus marinus*. *Current Biology* **6**, 739-749 (1996).
410. Mayr,T., Deutsch,U., Kühl,M., Drexler,H.C.A., Lottspeich,F., Deutzmann,R., Wedlich,D. & Risau,W. Fritz, a secreted frizzled-related protein that inhibits Wnt activity. *Mech. Develop.* **63**, 109-125 (1997).
411. Mehl,E. & Lottspeich,F. A micro version of solid phase extraction of proteins using centrifuge cartridges: application to sample preparation for sequence and composition analysis. *Abstr. VII Int. Conference on Methods in Protein Sequence Analysis, Berlin* 158 (1988).
412. Meier,U.C., Boetzel,J., Kellermann,J., Mann,K., Billich,A., Stocker,W. & Schramm,H.J. The Cleavage of the Bait Region of Alpha(2)-Macroglobulin by Human-Immunodeficiency-Virus Proteinases and by Astacin. *Biology of Alpha2-Macroglobulin, Its Receptor, and Related Proteins* **737**, 431-433 (1994).
413. Meisterernst,M., Rogge,L., Donath,C., Gander,I., F.Lottspeich, Mertz,R., Dobner,T., Föckler,R., Stelzer,G. & E.L.Winnacker. Isolation and characterization of the porcine nuclear factor I (NFI) gene. *FEBS Lett.* **236**, 27-32 (1988).
414. Menz,B., Winter,G., Ilg,T., Lottspeich,F. & Overath,P. Purification and characterization of a membrane-bound acid phosphatase of *Leishmania mexicana*. *Mol. Biochem. Parasitol.* **47**, 101-108 (1991).
415. Meyer,E., Furtuna,P., Zepp,F., Becker,D., Noss,T., F.Lottspeich & Dorsch,W. Entzündungshemmende Wirkung von Saugblasenflüssigkeit auf die verzögerte Phase der allergischen Sofortreaktion. *Allergo J.* **submitted**, (1996).
416. Michel,H., Deisenhofer,J., Miki,K., Weyer,K. & Lottspeich,F. Crystallisation of Membrane Proteins and Actual State of Structure Analysis of Photosynthetic Reaction Centre Crystals. *In: Structure and Function of Membrane Proteins (Palmeri, F. Quagliariello, E. ; eds.) Elsevier, North Holland* 191-197 (1983).
417. Michel,H., Weyer,K.A., Gruenberg,H. & Lottspeich,F. The heavy subunits of the photosynthetic reaction centre from *Rhodospseudomonas viridis*: isolation of the gene, nucleotide and amino acid sequence. *EMBO J.* **4**, 1667-1672 (1985).
418. Michel,H., Deisenhofer,J., Miki,K., Epp,O., Lottspeich,F. & Weyer,A. High resolution structure of a membrane protein complex: The photosynthetic reaction centre from *Rhodospseudomonas viridis*. *Proc. Koninklijke Nederlandse Akademie van Wetenschappen* **89**, (1986).
419. Michel,H., Weyer,K.A., Gruenberg,H., Dunger,I., D.Oesterhelt & Lottspeich,F. The "light" and "medium" subunits of the photosynthetic reaction centre from *Rhodospseudomonas viridis*: Isolation of the genes, nucleotide and amino acid sequence. *EMBO J.* **5**, 1149-1158 (1986).
420. Mithöfer,A., Lottspeich,F. & Ebel,J. One-step purification of the β -glucan elicitor-binding protein from soybean (*Glycine max* L.) roots and characterization of an anti-peptide antiserum. *FEBS Lett.* **381**, 203-207 (1996).
421. Morgans,C.W., Brandstatter,J.H., Kellerman,J., Betz,H. & Wassle,H. A SNARE complex containing syntaxin 3 is present in ribbon synapses of the retina. *Journal of Neuroscience* **16**, 6713-6721 (1996).
422. Moritani,C., Ohhashi,T., Kadowaki,H., Tagaya,M., Fukui,T., F.Lottspeich, Oesterhelt,D. & Ikeda,M. The primary structure of the Cl--translocating ATPase, b- subunit of *Acetabularia acetabulum*, which belongs to the F-type ATPase Family. *Arch. Biochem. Biophys.* **339**, 115-124 (1997).

423. Morty,R.E., Lonsdale-Eccles,J.D., Morehead,J., Caler,E.V., Mentele,R., Auerswald,E.A., Coetzer,T.H.T., Andrews,N.W. & Burleigh,B.A. Oligopeptidase B from *Trypanosoma brucei*, a new member of an emerging subgroup of serine oligopeptidases. *Journal of Biological Chemistry* **274**, 26149-26156 (1999).
424. Moser,M., Auerswald,E., Mentele,R., Eckerskorn,C., Fritz,H. & Fink,E. Bdeellastasin, a serine protease inhibitor of the antistasin family from the medical leech (*Hirudo medicinalis*) - Primary structure, expression in yeast, and characterisation of native and recombinant inhibitor. *European Journal of Biochemistry* **253**, 212-220 (1998).
425. Müllberg,J., Oberthür,W., Lottspeich,F., Mehl,E., Dittrich,E., Graeve,L., Heinrich,P. & Rose-John,S. The soluble human interleukin-6-receptor: mutational characterization of the proteolytic cleavage site. *J. Immunol.* 4958-4968 (1993).
426. Müller-Esterl,W., Dittmann,B., Fritz,H., Lottspeich,F. & A.Henschen. Structural Aspects of Human Kininogens. In: *KININS-III, Pt. A, (Fritz, Back, Dietze Haberland, eds.), Plenum Press, New York* 157-164 (1982).
427. Müller-Esterl,W., Fritz,H., Fock-Nützel,R., Lottspeich,F. & A.Henschen. Structure, Function and Biosynthesis of the Sperm Proteinase Acrosin. In: *Chemistry of Peptides and Proteins (Voelter, W. ; Wuensch, E. ; Ovchinikov, Y. ; Ivanov, U. ; eds), de Gruyter, Berlin* (1982).
428. Müller-Esterl,W., Rauth,G., Fritz,H., Henschen,A. & F.Lottspeich. Human Kininogens. In: *Kininogenases, Physiological Properties and Pharmacological Rationale, Circulatory and Metabolic Aspects (Haberland G. J. ; Rohen J. W. ; Fritz H. Huber P. ; eds.) Schattauer, Stuttgart-New York* 3-28 (1983).
429. Müller-Esterl,W., Rauth,G., Henschen,A. & Lottspeich,F. Limited Proteolysis of HMW Kininogen by Plasma Kallikrein in Man. Evidence for a Processing Mechanism Different from the Bovine System. *Abstr. 8. Int. Kongr. on Thrombosis, Istanbul, Turkey* (1984).
430. Müller-Esterl,W., Kellermann,J., Henschen,A. & Lottspeich,F. Proteolytic Processing of Human High-Molecular-Mass Kininogen by Plasma Kallikrein in the early Events of Blood Coagulation. *Abstr. Xth Congress of the Int. Society on Thrombosis and Haemostasis, San Diego, USA, Juli 14-19* (1985).
431. Müller-Esterl,W., Rauth,G., Lottspeich,F., Henschen,A. & J.Kellermann. Limited Proteolysis of Human Low Molecular Mass Kininogen by Tissue Kallikrein. Isolation and Characterisation of the Heavy and Light Chains. *Eur. J. Biochem.* **149**, 15-22 (1985).
432. Müller-Esterl,W., Fritz,H., Kellermann,J., Lottspeich,F., W.Machleidt & Turk,V. Genealogy of mammalian cystein proteinase inhibitors. Common evolutionary origin of stefins, cystatins and kininogens. *FEBS Lett.* **191**, 221-226 (1985).
433. Müller-Esterl,W., Fritz,H., Machleidt,W., Ritonja,A., J.Brzin, Kotnik,M., Turk,V., Kellermann,J. & Lottspeich,F. Human plasma kininogens are identical with alpha-cysteine proteinase inhibitors. *FEBS Lett.* **182**, 310-314 (1985).
434. Müller-Esterl,W., Lottspeich,F., Machleidt,W., Turk,V. & Fritz,H. On the evolution of mammalian cystein proteinase inhibitors: a common ancestor for stefins, cystatins and kininogens. *Abstr. Gordon Research Conference "Proteolytic enzymes and their inhibitors", Plymouth, June* (1986).
435. Müller-Esterl,W., Fritz,H., Kellermann,J., Lottspeich,F., Machleidt,W. & Turk,V. The mammalian cystein proteinase inhibitors. Structural diversity and evolutionary origin. In: *Cystein proteinases and their inhibitors, (Turk, V. ; ed.)* 369-392 (1986).

436. Müller-Esterl,W., Hock,H., Rauth,G., Kellermann,J., Henschen,A. & Lottspeich,F. Limited Proteolysis of HMW Kininogen by Plasma Kallikrein in Man. Evidence for a Processing Mechanism Different from the Bovine System. *In: KININS IV, Part A, (Greenbaum, L. M. ; Margolius, H. S. ; eds) Plenum Publishing Corporation (1986).*
437. Müller-Schmid,A., Rinder,H., Ganß,B., Lottspeich,F. & Hoffmann,W. Molecular biology of ependymins. *Mol. Biol. Hoppe Seyler* **372**, 892 (1991).
438. Müller-Schmid,A., Ganß,B., Lottspeich,F., Rinder,H. & Hoffmann,W. Ependymins: A class of divergent calcium binding glycoproteins predominant in the cerebrospinal fluid of some teleosts. *Abst. IV. Reinhardtsbrunn Symposium, 24. -29. 3. 91 Leipzig (1991).*
439. Müller-Schmid,A., Ganß,B., Lottspeich,F., Rinder,H. & Hoffmann,W. Ependymins: A class of divergent calcium binding glycoproteins in the cerebrospinal fluid of fish. *Eur. J. Cell Biol.* **54**, 86-87 (1991).
440. Müller-Schmid,A., Ganß,B., Lottspeich,F., Rinder,H. & Hoffmann,W. Ependymins: potential candidates for regeneration in fish. *Abstr. DGZ Konstanz, 15-20. 3. 92 (1992).*
441. Müller-Schmid,A., Rinder,H., Lottspeich,F., Gertzen,M. & Hoffmann,W. Ependymins from the cerebrospinal fluid of salmonid fish: gene structure and molecular characterization. *Gene* **118**, 189-196 (1992).
442. Müllner,S., Neumann,T. & Lottspeich,F. Proteomics - a new way for drug diccovery. *Arzneim. - Forsch. /Drug Res.* **48**, 93-95 (1998).
443. Nawratil,P., Kellermann,J. & Muller-Esterl. Purification of alpha-2-HS glycoprotein from human plasma by immunoaffinity chromatography. *Molecular Biology of the Cell* 69-72 (1989).
444. Nawratil,P., Lenzen,S., Kellermann,J., Haupt,H., Schinke,T., MullerEster,W. & JahnenDechent,W. Limited proteolysis of human alpha(2)-HS glycoprotein fetuin - Evidence that a chymotryptic activity can release the connecting peptide. *Journal of Biological Chemistry* **271**, 31735-31741 (1996).
445. Neuhierl,B., Thanbichler,M., Lottspeich,F. & Böck,A. A family of S-methylmethionine-dependent thiol/selenol methyltransferases. role in selenium tolerance and evolutionary relation. *J. Biol. Chem.* **274**, 5407-5414 (1999).
446. Noegel,A.A., Rapp,S., Lottspeich,F., Schleicher,M. & M.Stewart. The Dictyostelium Gelation factor shares a putative actin binding site with alpha-actinins and dystrophin and also has a rod domain containing six 100-residue motifs that appear to have a cross-beta conformation. *J. Cell. Biol.* **109**, 607-618 (1989).
447. Noegel,A.A., Gerisch,G., Lottspeich,F. & Schleicher,M. A protein with homology to the C-terminal repeat sequence of Octopus rhodopsin and synaptophysin is member of a multigene family in Dictyostelium discoideum. *FEBS. Lett.* **266**, 118-122 (1990).
448. Nowitzki,U., Flechner,A., Kellermann,J., Hasegawa,M., Schnarrenberger,C. & Martin,W. Eubacterial origin of nuclear genes for chloroplast and cytosolic glucose-6-phosphate isomerase from spinach: sampling eubacterial gene diversity in eukaryotic chromosomes through symbiosis. *Gene* **214**, 205-213 (1998).
449. Oberthür,W., Muhn,P., Baumann,H., Lottspeich,F., Wittmann,B. & Hucho,F. The reaction site of a noncompetetive antagonist in the d- subunit of the nicotinic acetylcholine receptor. *EMBO J.* **5**, 1815-1819 (1986).

450. Oberthür,W., Hucho,F. & Lottspeich,F. Photoaffinity labeling and localisation of an ion channel protein. *Biol. Chem. Hoppe Seyler* **368**, 438-439 (1987).
451. Oberthür,W., Lottspeich,F. & Hucho,F. The ion channel of the nicotinic acetylcholine receptor. *In: Receptors and Ion Channels (Hucho, F. ; Ovchinnikov, Y. A. ; eds), W. de Gruyter, Berlin - New York* 3-11 (1987).
452. Oesterhelt,D., Kerscher,L., Mathews,S. & Lottspeich,F. Pyruvate degradation in archeobacteria: radicals, ferredoxins and evolutionary aspects. *In: Progress in Bioorganic Chemistry and Molecular Biology (Ovchinnikov, Yu. A. ; ed)* 327-334 (1985).
453. Ohhashi,T., Moritani,C., Andoh,H., Satoh,S., Ohmori,S., F.Lottspeich & Ikeda,M. Preparative high-yield electroelution of proteins after separation by sodium dodecyl sulphate-polyacrylamide gel electrophoresis and its application to analysis of amino acid sequences and to raise antibodies. *J. Chromatogr.* **585**, 153-159 (1991).
454. Oster,U., Kardinal,C., Burghardt,H., Werner,B., Lottspeich,F. & Rüdiger,W. Natural inhibitors of germination and growth. 6. detection of a carboxyterminal fragment of the heat-shock protein hsp-70 after coumarin treatment. *J. Plant Physiol.* **140**, 110-115 (1992).
455. Palm,P., Schleper,C., Arnold-Ammer,I., Holz,I., Meier,T., F.Lottspeich & Zillig,W. The DNA-dependent RNA-polymerase of *Thermotoga maritima*; characterisation of the enzyme and the DNA-sequence of the genes for the large subunits. *Nucl. Acid. Res.* **21** , 4904-4908 (1993).
456. Pankuweit,S., Lottspeich,F. & Maisch,B. Characterization of relevant membrane antigens by two-dimensional immunoblot and n-terminal sequence analysis in patients with myocarditis. *Eur. Heart. J.* **16**, 81-84 (1995).
457. Pankuweit,S., Portig,I., Lottspeich,F. & Maisch,B. Autoantibodies in sera of patients with myocarditis: characterization of the corresponding proteins by isoelectric focusing and N-terminal sequence analysis. *J. Mol. Cell. Cardiol.* **29**, 77-84 (1997).
458. Paschke,K.A., Lottspeich,F. & Stuermer,C.A.O. Neurolin, a cell surface glycoprotein on growing retinal axons in the goldfish visual system is re-expressed during retinal axon regeneration. *J. Cell Biol.* **117**, 862-875 (1992).
459. Paul,G., Lottspeich,F. & Wieland,F. Asparaginyln-N-Acetylgalactosamine: Linkage unit of halobacterial glycosaminoglycan. *J. Biol. Chem.* **261**, 1020-1024 (1986).
460. Pellegrini,L.L., Connor,V.O., Lottspeich,F. & Betz,H. Clostridial neurotoxins compromise the stability of a low energy SNARE complex mediating NSF activation of synaptic vesicle function. *EMBO J.* **14**, 4705-4713 (1995).
461. Peters,J., Peters,M., Lottspeich,F., Schäfer,W. & W.Baumeister. Nucleotide sequence analysis of the gene encoding the surface protein of deinococcus radiodurans strain sark, derived amino acid sequence, and complementary protein chemical investigations. *J. Bact.* **169**, 5216-5223 (1987).
462. Peters,J., Peters,M., Lottspeich,F. & Baumeister,W. S-Layer protein gene of *Acetogenium kivui*: cloning and expression in *Escherichia coli* and determination of the nucleotide sequence. *J. Bact.* **171**, 6307-6315 (1989).
463. Peters,J., Rudolf,S., Oschkinat,H., Mengele,R., M.Sumper, J.Kellermann, Lottspeich,F. & Baumeister,W. Evidence for tyrosine-linked glycosaminoglycan in a bacterial surface protein. *Biol. Chem. Hoppe Seyler* **373**, 171-176 (1992).
464. Peters,J., Nitsch,M., Kuhlmoorgen,B., Golbik,R., Lupas,A., Kellermann,J., Engelhardt,H., Pfander,J.P., Muller,S., Goldie,K., Engel,A., Stetter,K.O. & Baumeister,W. Tetrabrachion - A

- Filamentous Archaeobacterial Surface Protein Assembly of Unusual Structure and Extreme Stability. *Journal of Molecular Biology* **245**, 385-401 (1995).
465. Phipps,B.M., Alber,A., Stetter,K.O., Lottspeich,F. & W.Baumeister. An unusual large protein complex with eight-fold symmetry is a major cellular component of thermophilic archaeobacteria. *In: Proc. XIIth Int. Congress for Electron Microscopy, San Francisco* (1990).
 466. Plaga,W., Lottspeich,F. & Oesterhelt,D. Improved purification, cristallisation and primary structure of pyruvate:ferredoxin oxidoreductase from halobacterium halobium. *Eur. J. Biochem.* **205**, 391-397 (1992).
 467. Planchenault,T., Vidmar,S.L., Imhoff,M., Blondeau,X., I.Emod, Lottspeich,F. & Keil-Dlouha,V. Potential proteolytic activity of human plasma fibronectin: fibronectin gelatinase. *Biol. Chem. Hoppe-Seyler* **371**, 117-128 (1990).
 468. Pohlner,K., Portig,I., Pankuweit,S., Lottspeich,F. & Maisch,B. Identification of mitochondrial antigens recognized by antibodies in sera of patients with idiopathic dilated cardiomyopathy by two-dimensional gel electrophoresis and protein sequencing. *Am. J. Cardiol.* **80**, 1040-1045 (1997).
 469. Portig,I., Pankuweit,S., Lottspeich,F. & Maisch,B. Identification of stress proteins in endothelial cells. *Electrophoresis* **17**, 803-808 (1996).
 470. Prassler,J., Stocker,S., Marriott,G., Heidecker,M., Kellermann,J. & Gerisch,G. Interaction of a Dictyostelium member of the plastin/fimbrin family with actin filaments and actin-myosin complexes. *Molecular Biology of the Cell* **8**, 83-95 (1997).
 471. Pühler,G., Lottspeich,F. & Zillig,W. Organization and nucleotide sequence of the genes encoding the large subunits A, B and C of the DNA-dependent RNA polymerase of the archaeobacterium *Sulfolobus acidocaldarius*. *Nucl. Acid Res.* **17**, 4517-4534 (1989).
 472. Pühler,G., Leffers,H., Gropp,F., Palm,P., Klenk,P., Lottspeich,F., Garrett,R.A. & Zillig,W. Archaeobacterial DNA-dependend RNA polymerases testify to the evolution of the eukaryotic nuclear genome. *Proc. Natl. Acad. Sci. USA* **86**, 4569-4573 (1989).
 473. Redl,B., Holzfeind,P. & Lottspeich,F. cDNA cloning and sequencing reveals human tear prealbumin to be a member of the lipophilic-ligand carrier protein superfamily. *J. Biol. Chem.* **267**, 20282-20287 (1992).
 474. Reichenbecher,M., Lottspeich,F. & Bronnenmeier,K. Purification and properties of a cellobiose phosphorylase (CepA) and cellodextrin phosphorylase (CepB) from the cellulolytic thermophile *Clostridium str.rcorarium*. *Eur. J. Biochem.* **247**, 262-267 (1997).
 475. Reiländer,H., Achilles,A., Friedel,U., Maul,G., F.Lottspeich & Cook,N.J. Primary structure and functional expression of the Na/Ca,K- exchanger from bovine rod photoreceptors. *EMBO J.* **11**, 1689-1695 (1992).
 476. Reiser,G., Kunzelmann,U., Hülser,E., Stricker,R., Hoppe,J., Lottspeich,F. & Kalbacher,H. Peptide-specific antibodies indicate species heterogeneity of a 42 kDa high-affinity inositol 1,3,4,5-tetrakisphosphate receptor protein from brain. *Biochem. Biophys. Res. Comm.* **214**, 20-27 (1995).
 477. Reiter,D., Palm,P., Henschen,A., Lottspeich,F., Zillig,W. & Grampp,B. Identification and characterization of the genes encoding three structural proteins of the *Sulfolobus* virus-like particle. *Mol. Gen. Genetics* **206**, 144-153 (1987).
 478. Rettenberger,P., Wilhelm,O., Oi,H., Weidle,U.H., Goretzki,L., Koppitz,M., Lottspeich,F., König,B., Pessara,U., Kramer,M.D., Schmitt,M. & Magdolen,V. A competitive chromogenic assay to study

- the functional interaction of urokinase-type plasminogen activator with its receptor. *Biol. Chem. Hoppe-Seyler* **376**, 587-594 (1995).
479. Richter,G., Ritz,H., Katzenmeier,G., Volk,R., Kohnle,A., F.Lottspeich, Allendorf,D. & Bacher,A. Biosynthesis of riboflavin: cloning, sequencing, mapping and expression of the gene coding for GTP-cyclohydrolase II in *Escherichia coli*. *J. Bact.* **175**, 4045-4051 (1993).
480. Ries,C., Lottspeich,F., Dittmann,K.H. & Petrides,P.E. HL-60 leukemia cells produce an autocatalytically truncated form of matrix metalloproteinase-9 with impaired sensitivity to inhibition by tissue inhibitors of metalloproteinases. *Leukemia* **10**, 1520-1526 (1996).
481. Ringwald,M., Schuh,R., Vestweber,D., Eistetter,H., Lottspeich,F., Engel,J., Dölz,R., Jähnig,F., Epplen,J., Mayer,S., Müller,C. & Kemler,R. The structure of cell adhesion molecule uvomorulin: Insights into the molecular mechanism of Ca²⁺-dependent cell adhesion. *EMBO J.* **6**, 3647-3653 (1987).
482. Ripperger,J., Fritz,S., Richter,K., Dreier,B., Schneider,K., Löchner,K., Marschalek,R., Hocke,G., Lottspeich,F. & Fey,G.H. Isolation of two interleukin-6 responsive element binding proteins from acute phase rat livers. *Ann. N. Y. Acad. Sci* **762**, 252-261 (1995).
483. Ripperger,J., Fritz,S., Richter,K., Dreier,B., Schneider,K., Löchner,K., Marschalek,R., Hocke,G., Lottspeich,F. & Fey,G.H. Transcription factors Stat3 and Stat5b are present in rat liver nuclei late in an acute phase response and bind interleukin-6 response elements. *J. Biol. Chem.* **270**, 29998-30006 (1995).
484. Roggentin,P., Rothe,B., Lottspeich,F. & Schauer,R. Cloning and sequencing of a *Clostridium perfringens* sialidase gene. *FEBS Lett.* **238**, 31-34 (1988).
485. Romao,M., Barata,B.S., Archer,M., Lobeck,K., Moura,I., M.A.Carrondo, LeGall,J., Lottspeich,F., Huber,R. & Moura,J.J.G. Subunit composition, crystallization and preliminary crystallographic studies of the *Desulfovibrio gigas* aldehyde oxidoreductase containing molybdenum and [2Fe-2S] centers. *Eur. J. Biochem.* **215**, 729-732 (1993).
486. Rossmann,R., Sauter,M., Lottspeich,F. & Böck,A. Maturation of the large subunit (HYCE) of hydrogenase 3 of *Escherichia coli* requires nickel incorporation followed by carboxy-terminal processing at Arg537. *Eur. J. Biochem.* **220**, 377-384 (1994).
487. Rossmann,R., Maier,T., Lottspeich,F. & Böck,A. Characterisation of a protease from *E. coli* involved in hydrogenase maturation. *Eur. J. Biochem.* **227**, 545-550 (1995).
488. Ruepp,A., Müller,H.N., Lottspeich,F. & Soppa,J. The catabolic ornithine transcarbamylase of halobacterium halobium (salinarium): Purification, characterization, sequence determination and evolution. *J. Bact.* **177**, 1129-1136 (1995).
489. Ruppert,C., Kavermann,H., Wimmers,S., Schmid,R., Kellermann,J., Lottspeich,F., Huber,H., Stetter,K.O. & Müller,V. The proteolipid of the A1A0ATP synthase from *Methanococcus jannaschii* has six predicted transmembrane helices but only two proton-translocating carboxyl groups. *J. Biol. Chem.* **274**, 25281-25284 (1999).
490. S.Dimmeler, Lottspeich,F. & Brune,B. Nitric oxide causes ADP-ribosylation and inhibition of glyceraldehyde-3-phosphate-dehydrogenase. *J. Biol. Chem* **267**, 16771-17774 (1992).
491. Salmassi,A., Kreipe,H., Radzun,H.J., Lilischkis,R., Charchinajad,A., Zschunke,F., Buck,F., Lottspeich,F. & M.R.Parwaresch. Isolation of monocytic serine esterase and evaluation of its proteolytic activity. *J. Leukocyte Biol.* **51**, 409-414 (1992).

492. Samstag,Y., Eckerskorn,C., Schiller,D., Henning,S.W., Lottspeich,F. & Meuer,S.C. Dephosphorylation of A Nuclear Actin Binding-Protein - An Accessory Receptor Dependent Signaling Event in Lymphocytes-T 27. *Journal of Cellular Biochemistry* 303 (1993).
493. Sander,I., Lottspeich,F., Appelhans,H., Kojro,E., J.Spangenberg, Weindel,C., Haase,W. & Koepsell,H. Sequence analysis of the catalytic subunit of H⁺-ATPase from porcine renal brush-border membranes. *Biochem. Biophys. Acta* **1112**, 129-141 (1992).
494. Sandholzer,U., Centea-Intemann,M., Noegel,A. & Lottspeich,F. cDNA and derived amino acid sequence of the hypusine containing protein from Dictyostelium discoideum. *FEBS Lett.* **246**, 94-100 (1989).
495. Sauer,P.R.R., Lottspeich,F., Unger,E., Mentele,R. & Michel,H. Deletion of a B800-850 light-harvesting complex in Rhodospirillum rubrum DSM119 leads to "revertants" expressing a B800-820 complex: insights into pigment binding. *Biochemistry* **35**, 6500-6507 (1996).
496. Sawatzky,G., Anselstetter,V., Kubanek,B., Horstmann,H.J., A.Henschen & Lottspeich,F. Isolation and Characterisation of Mouse Transferrin. *Abstr. Int. Symp. on Transferrin, Calif.* (1981).
497. Schauer,T.M., Nesper,M., Kehl,M., Lottspeich,F., Müller-Taubenberger,A., Gerisch,G. & Baumeister,W. Proteasomes from Dictyostelium discoideum: Characterization of structure and function. *J. Struc. Biol.* **111**, 135-147 (1993).
498. Schell,D., Evers,R., Preis,D., Ziegelbauer,K., Kiefer,H., F.Lottspeich, Cornelissen,A.W.C.A. & Overath,P. A transferrin-binding protein of Trypanosoma brucei is encoded by one of the genes in the variant surface glycoprotein gene expression site. *EMBO J.* **10**, 1061-1066 (1991).
499. Schiebel,W., Pelissier,T., Riedel,L., Thalmeir,S., R.Schiebel, Kempe,D., Lottspeich,F., Sä,H.L. & Wassenegger,M. Isolation of a RNA-directed RNA polymerase (RdRP)-specific cDNA clone from tomato leaf-tissue mRNA. *Plant Cell.* **10**, 2087-2101 (1998).
500. Schindler,R., Itin,C., Zerial,M., Lottspeich,F. & Hauri,P. ERGIC-53, a membrane protein of the ER-Golgi intermediate compartment, carries an ER retention motif. *Eur. J. Cell Biol.* **61**, 1-9 (1993).
501. Schlenzka,W., Shaw,L., Kelm,S., Schmidt,C.L., Bill,E., A.X.Trautwein, Lottspeich,F. & Schauer,R. CMP-N-acetylneuraminic acid hydroxylase: the first cytosolic Rieske iron-sulphur protein to be described in eucarya. *FEBS Lett.* **385**, 197-200 (1996).
502. Schletter,J., Krüger,C., Schütt,C. & Lottspeich,F. An improved method for preparation of LPS-binding protein (LBP) from human serum by electrophoretic and chromatographic separation techniques. *J. Chromatogr. B.* **654**, 25-34 (1994).
503. Schlipfenbacher,R., Wenzl,S., Lottspeich,F. & Sumper,M. An extremely hydroxyproline-rich glycoprotein is expressed in inverting Volvox embryos. *FEBS Lett.* **209**, 57-62 (1986).
504. Schmitz,O., Boison,G., Hilscher,R., Hundeshagen,B., W.Zimmer, Lottspeich,F. & Bothe,H. Molecular biological analysis of a bidirectional hydrogenase from cyanobacteria. *Eur. J. Biochem.* **233**, 266-276 (1995).
505. Schmoll,T., Hoschützky,H., Morschäuser,J., Lottspeich,F., Jann,K. & Hacker,J. Analysis of genes coding for the sialic acid binding adhesin and two other minor fimbrial subunits of the S fimbrial adhesin determinant of Escherichia coli. *Mol. Microbiol.* **3**, 1735-1744 (1989).
506. Schneider,H., Söllner,T., Dietmeier,K., Eckerskorn,C., Lottspeich,F., Trülzsch,B., Neupert,W. & Pfanner,N. Targeting of the master receptor MOM 19 to mitochondria. *Science* **254**, 1659-1662 (1991).

507. Schneider,H.J., Linzen,B., Schartau,W., Lottspeich,F. & A.Henschen. Hemocyanin in Spiders. X. Limited Proteolysis of Chain e of Eurypelma Hemocyanin and Partial Sequence of Two Large Fragments. *Hoppe Seyler's Z. Physiol. Chem.* **361**, 1211-1216 (1980).
508. Schneider,H.J., Illig,U., Müller,E., Linzen,B., F.Lottspeich & Henschen,A. Hemocyanins in Spiders. XVII. A Presumptive Active Site Sequence of Arthropodan Hemocyanins. *Hoppe Seyler's Z. Physiol. Chem.* **363**, 487-492 (1982).
509. Schneider,J., Drexel,R., Illig,U., Lottspeich,F. & A.Henschen. Strategy of Sequencing Subunit e of Eurypelma Californicum Hemocyanin. In: *Life Chemistry Reports. Structure and Function of Invertebrate Respiratory Proteins* (Wood, E. J. Harwood, eds) Academic Publishers, Chur-London-New York 81-84 (1983).
510. Schneider,J., Drexel,R., Feldmaier,G., Linzen,B., F.Lottspeich & Henschen,A. Hemocyanins in Spiders, XVIII. Complete Amino Acid Sequence of Subunit e from Eurypelma Californicum Hemocyanin. *Hoppe Seyler's Z. Physiol. Chem.* **364**, 1357-1381 (1983).
511. Schneider,R., Eckerskorn,C., Lottspeich,F. & Schweiger,M. The human placental ubiquitin carrier protein E2 (17KD) exerts 84% conservation to the yeast DNA repair gene RAD 6. *EMBO J.* **9**, 1431-1435 (1990).
512. Schopfer,C.R., Kochs,G., Lottspeich,F. & Ebel,J. Molecular characterization and functional expression of dihydropterocarpan 6a-hydroxylase, an enzyme specific for pterocarpanoid phytoalexin biosynthesis in soybean (*Glycine max* L.). *FEBS Lett.* **432**, 182-186 (1998).
513. Schott,K., Kellermann,J., Lottspeich,F. & Bacher,A. Riboflavin synthases of *Bacillus subtilis*. Purification and amino acid sequence of the alpha subunit. *J. Biol. Chem.* **265**, 4204-4209 (1990).
514. Schreiner,A., Fuchs,K., Lottspeich,F., Poth,H., van,H. & Lingens,F. Degradation of 2-methylaniline in *Rhodococcus rhodochrous*: cloning and expression of two clustered catechol 2,3- dioxygenase genes from strain CTM. *J. Gen. Microbiol.* **137**, 2041-2048 (1991).
515. Schreiner,M., Strupat,K., Lottspeich,F. & Eckerskorn,C. Ultraviolet matrix assisted laser desorption ionization-mass spectrometry of electroblotted proteins. *Electrophoresis* **17**, 954-961 (1996).
516. Schulte,T., Paschke,K.A., Laessing,U., Lottspeich,F. & C.A.O.Stuermer. Reggie-1 and reggie-2, two cell surface proteins expressed by retinal ganglion cells during axon regeneration. *Development* **124**, 577-587 (1997).
517. Schuster,S.C., Bauer,M., Kellermann,J., Lottspeich,F. & E.Bäuerlein. Nucleotide Sequence of the *Wolinella succinogenes* flagellin, which contains in the antigenic domain two conserved regions also present in *Campylobacter* spp. and *Helobacter pylori*. *J. Bact.* **176**, 5151-5155 (1994).
518. Schwager,S.L.U., Chubb,A.J., Scholle,R.R., Brandt,W.F., Mentele,R., Riordan,J.F., Sturrock,E.D. & Ehlers,M.R.W. Modulation of juxtamembrane cleavage ("shedding") of angiotensin-converting enzyme by stalk glycosylation: Evidence for an alternative shedding protease. *Biochemistry* **38**, 10388-10397 (1999).
519. Schwarz,W.H., Bronnenmeier,K., Krause,B., Lottspeich,F. & W.L.Studenbauer. Debranching of arabinoxylan: properties of the thermoactive recombinant alpha-L-arabinofuranosidase from *Clostridium stecorarium*. *Appl. Microbiol. Biotechnol.* **43**, 856-860 (1995).
520. Schwer,C. & Lottspeich,F. Analytical and micropreparative separation of peptides by capillary zone electrophoresis using discontinuous buffer systems. *J. Chromatogr.* **623**, 345-355 (1992).

521. Schwer,C., Gas,B., Lottspeich,F. & Kenndler,E. Computer simulation and experimental evaluation of on-column sample preconcentration in capillary zone electrophoresis by discontinuous buffer systems. *Anal. Chem.* **65**, 2108-2115 (1993).
522. Schwer,C. & Lottspeich,F. Micropreparative capillary electrophoresis with subsequent amino acid sequence analysis. *Abstr. San Diego, 1994* (1994).
523. Seemüller,U., Fritz,H., Wiedenmann,K., Machleidt,W., Heinzl,R., Appelhans,H., Gassen,G. & Lottspeich,F. The acid stable proteinase inhibitor of human mucous secretions (HUSI-I, Antileukoprotease). Complete amino acid sequence as revealed by protein and c-DNA sequencing and structural homology to whey proteins and red sea turtle proteinase inhibitor. *FEBS Lett.* **199**, 43-48 (1986).
524. Serafini,T., Stenbeck,G., Brecht,A., Lottspeich,F., Orci,L., J.E.Rothman & Wieland,F.T. A coat subunit of golgi-derived non-clathrin-coated vesicles with homology to the clathrin-coated vesicle coat protein α - adaptin. *Nature* **349**, 215-220 (1991).
525. Serrano,S.M.T., Mentele,R., Sampaio,C.A.M. & Fink,E. Purification, Characterization, and Amino-Acid-Sequence of A Serine Proteinase, Pa-Bj, with Platelet-Aggregating Activity from the Venom of Bothrops-Jararaca. *Biochemistry* **34**, 7186-7193 (1995).
526. Serrano,S.M.T., Hagiwara,Y., Murayama,N., Higuchi,Z., Mentele,R., Sampaio,C.A.M., Camargo,A.C.M. & Fink,E. Purification and characterization of a kinin-releasing and fibrinogen-clotting serine proteinase (KN-BJ) from the venom of Bothrops jararaca, and molecular cloning and sequence analysis of its cDNA. *European Journal of Biochemistry* **251**, 845-853 (1998).
527. Serrano,S.M.T., Reichl,A.P., Mentele,R., Auerswald,E.A., Santoro,M.L., Sampaio,C.A.M., Camargo,A.C.M. & Assakura,M.T. A novel phospholipase A2, BJ-PLA2, from the venom of the snake Bothrops jararaca: Purification, primary structure analysis, and its characterization as a platelet-aggregation-inhibiting factor. *Archives of Biochemistry and Biophysics* **367**, 26-32 (1999).
528. Seulberger,H., Lottspeich,F. & Risau,W. The inducible blood-brain barrier specific molecule HT7 is a novel immunoglobulin-like cell surface glycoprotein. *EMBO J.* **9**, 2151-2158 (1990).
529. Seytter,T., Lottspeich,F., Neupert,W. & Schwarz,E. Mam33p, an oligomeric, acidic protein in the mitochondrial matrix from saccharomyces cerevisiae. *Yeast* **14**, 303-310 (1998).
530. Shiozawa,J.A., Lottspeich,F. & Feick,R. The photochemical reaction center of Chloroflexus aurantiacus is composed of two structurally similar polypeptides. *Eur. J. Biochem.* **167**, 595-600 (1987).
531. Shiozawa,J.A., Lottspeich,F., Oesterheld,D. & Feick,R. The primary structure of the Chloroflexus aurantiacus reaction center polypeptides. *EMBO J.* **180**, 75-84 (1989).
532. Siebert,A., Lottspeich,F., Nelson,N. & Betz,H. Purification of the synaptic vesicle-binding protein physophilin: Identification as 39 kDa subunit of the vacuolar H⁺-ATPase. *J. Biol. Chem.* **269**, 28329-28334 (1994).
533. Simon,H.G., Fruth,U., Eckerskorn,C., Lottspeich,F., M.D.Kramer, Nerz,G. & Simon,M.M. Induction of T cell serine proteinase 1 (TSP-1) specific mRNA in mouse T lymphocytes. *Eur. J. Immunol.* **18**, 855-861 (1988).
534. Sohn,K., Orci,L., Ravazzola,M., Amherdt,M., Bremser,M., F.Lottspeich, Fiedler,K., Helms,J.B. & Wieland,F.T. A major transmembrane protein of golgi-derived COPI-coated vesicles involved in coatomer binding. *J. Cell. Biol.* **135**, 1239-1248 (1996).

535. Sollner,C., Mentele,R., Eckerskorn,C., Fritz,H. & Sommerhoff,C.P. Isolation and Characterization of Hirustasin, An Antistatin-Type Serine-Proteinase Inhibitor from the Medical Leech Hirudo-Medicinalis. *European Journal of Biochemistry* **219**, 937-943 (1994).
536. Sommerhoff,C.P., Sollner,C., Mentele,R., Piechottka,G.P., Auerswald,E.A. & Fritz,H. A Kazal-Type Inhibitor of Human Mast-Cell Tryptase - Isolation from the Medical Leech Hirudo-Medicinalis, Characterization, and Sequence-Analysis. *Biological Chemistry Hoppe-Seyler* **375**, 685-694 (1994).
537. Southan,C., Henschen,A. & Lottspeich,F. The Search for Molecular Defects in Abnormal Fibrinogens. In: *Fibrinogen - Recent Biochemical and Medical Aspects.* (Henschen, A. ; Graeff, H. Lottspeich F. ; eds.), de Gruyter, Berlin 153-166 (1982).
538. Speich,N., Dahl,C., Heisig,P., Klein,A., Lottspeich,F., Stetter,K.O. & Trüper,H.G. Adenylylsulphate reductase from the sulphate-reducing archaeon *Archaeoglobus fulgidus*: cloning and characterisation of the genes and comparison of the enzymes with other iron-sulphur flavoproteins. *Microbiology* **140**, 1273-1284 (1994).
539. Spellig,T., Bölker,M., Lottspeich,F., Frank,R.W. & Kahmann,R. Pheromones trigger filamentous growth in *Ustilago maydis*. *EMBO J.* **13**, 1620-1627 (1994).
540. Spillmann,A.A., Bandtlow,C.E., Lottspeich,F., Keller,F. & M.E.Schwab. Identification and characterization of a bovine neurite growth inhibitor (bNI-220). *J. Biol. Chem.* **273**, 19283-19293 (1998).
541. Spitzer,D., Murach,F., Lottspeich,F., Staudach,A. & K.Illmensee. Different protein patterns derived from immature and mature human follicles. *Hum. Reprod.* **4**, 798-807 (1996).
542. Stadlbauer,F., Brücker,A., Rehfuss,C., Eckerskorn,C., Lottspeich,F., Förster,V., Tseng,B.Y. & Nasheuer,H.P. DNA-Replication in vitro by recombinant DNA-polymerase-alpha- primase. *Eur. J. Biochem.* **222**, 781-793 (1994).
543. Stadler,J., Bordier,C., Lottspeich,F., Henschen,A. & G.Gerisch. Improved Purification and N-Terminal Amino Acid Sequence Determination of the Contact Site A Glycoprotein of *Dictyostelium discoideum*. *Hoppe Seyler's Z. Physiol. Chem.* **363**, 771-776 (1982).
544. Stadler,J., Eckerskorn,C., Lottspeich,F. & Renlund,S. On-line SMART-MS Analysis of α -Casomorphin-8 allows fast diagnosis of post-partum psychosis. *Poster, HPLC 93, GDCh, Hamburg* (1993).
545. Steinemann,M., Steinemann,S. & Lottspeich,F. How Y-Chromosomes Become Genetically Inert 23. *Proceedings of the National Academy of Sciences of the United States of America* **90**, 5737-5741 (1993).
546. Stelzer,G., Goppelt,A., Lottspeich,F. & Meisterernst,M. Repression of basal transcription by HMG2 is counteracted by. *Mol. Cell. Biol.* **14**, 4712-4721 (1994).
547. Stenbeck,G., Schreiner,R., Herrmann,D., Auerbach,S., F.Lottspeich, Rothman,J.E. & Wieland,F.T. Gamma-COP, a coat subunit of non-clathrin coated vesicles with homology to Sec21p. *FEBS Lett.* **314**, 195-198 (1992).
548. Stenbeck,G., Harter,C., Brecht,A., Herrmann,D., F.Lottspeich, Orci,L. & Wieland,F.T. β 'COP, a novel subunit of coatomer. *EMBO. J.* **12**, 2841-2845 (1993).
549. Steppuhn,J., Hermans,J., Nechushtai,R., Ljungberg,U., F.Thümmeler, Lottspeich,F. & Herrmann,R.G. Nucleotide sequence of cDNA clones encoding the entire precursor polypeptides

- for subunits IV and V of the photosystem I reaction center from spinach. *FEBS Lett* **237**, 218-224 (1988).
550. Stöckli,K.A., Lottspeich,F., Sendtner,M., Masiakowski,P., P.Carroll, Götz,R., Lindholm,D. & Thoenen,H. Molecular cloning, expression and regional distribution of rat ciliary neurotrophic factor (CNTF). *Nature* **342**, 920-923 (1989).
 551. Strahler,J.R., Kuick,R., Zhu,X.X., Eckerskorn,C., K.Kozarsky, Atweh,G.F., Fox,D., Lottspeich,F. & Hanash,S.M. A polypeptide associated with the malignant phenotype in acute leukemia: from detection to cloning. *Electrophoresis* **9**, 624 (1988).
 552. Strahler,J.R., Kuick,R., Eckerskorn,C., Lottspeich,F., B.C.Richardson, Fox,D.A., Stoolman,L.M., Hanson,C.A., Nichols,D., Tueche,J. & Hanash,S.M. Identification of two related markers for common acute lymphoblastic leukemia as heat shock proteins. *J. Clin. Invest.* **85**, 200-207 (1989).
 553. Stricker,R., Lottspeich,F. & Reiser,G. The myelin protein CNP (2',3'-cyclic nucleotide 3'-phosphodiesterase): Immunoaffinity purification of CNP from pig and rat brain using a monoclonal antibody and phosphorylation of CNP by cyclic nucleotide-dependent protein kinases. *Biol. Chem. Hoppe-Seyler* **375**, 205-209 (1994).
 554. Stricker,R., Kalbacher,H., Lottspeich,F. & Reiser,G. Characterization of a high-affinity Ins-P4 (inositol 1,3,4,5- tetrakisphosphate) receptor from brain by an anti-peptide antiserum. *FEBS Lett.* **370**, 236-240 (1995).
 555. Stricker,R., Hülser,E., Fischer,J., Jarchau,T., Walter,U., Lottspeich,F. & Reiser,G. cDNA cloning of porcine p42 IP4, a membrane-associated and cytosolic 42 kDa inositol(1,3,4,5,)tetrakisphosphate receptor from pig brain with similarly high-affinity phosphatidylinositol(3,4,5)P3. *FEBS Lett.* **405**, 229-236 (1997).
 556. Strobl,G., Feicht,R., White,H., Lottspeich,F. & Simon,H. The properties of the tungsten containing enzyme from clostridium thermoaceticum and its complex with a viologen accepting NADP oxido reductase (VAPOR). *Biol. Chem. Hoppe-Seyler in press*, (1992).
 557. Strube,K.H., Lottspeich,F. & Geyer,R. Glycosylation of glycoproteins 52 and 65 encoded by the polycythemia-inducing strain of friend spleen focus-forming virus: isolation of glycopeptides containing individual glycosylation sites. *Eur. J. Biochem.* **184**, 119-124 (1989).
 558. Strupat,K., Karas,M., f.Hillenkamp, Eckerskorn,C. & F.Lottspeich. Matrix-assisted laser desorption ionization mass spectrometry of proteins electroblotted after polyacrylamide gel electrophoresis. *Anal. Chem.* **66**, 464-470 (1994).
 559. Strych,W., Miettinen-Baumann,A., Lottspeich,F. & H.-G.Heidrich. Asexual blood stage antigens of Plasmodium falciparum: isolation, identification and functional characterization. *Abstr. Int. Congress of Infectious and Parasitic Diseases Munich, Juli* (1986).
 560. Strych,W., Lottspeich, Miettinen-Baumann,F. & Heidrich,G. Isolation and Characterisation of the 80000 Da Plasmodium falciparum Merozoite Surface Antigen. *Parasitol. Res.* **73**, 435-441 (1987).
 561. Stürmer,C.A.O., Lottspeich,F. & Paschke,K.A. The spatiotemporal expression pattern of the candidate cell adhesion molecule neurolin in goldfish. *Abstr. Annual meeting of Society for Neuroscience, Anaheim, California, Oct 25-30* (1992).
 562. Südhof,T.C., Lottspeich,F., Greengard,P., Mehl,E. & Jahn,R. The cDNA and derived amino acid sequences for rat and human synaptophysin. *Nucl. Acid Res.* **15**, 9607 (1987).

563. Südhof,T.C., Lottspeich,F., Greengard,P., Mehl,E. & Jahn,R. Synaptophysin: a synaptic vesicle protein with four transmembrane regions and a novel cytoplasmatic domain. *Science* **283**, 1142-1147 (1987).
564. Tamura,N., Lottspeich,F., Baumeister,W. & Tamura,T. The role of Tricorn protease and its aminopeptidase- interacting factors in cellular protein degradation. *Cell* **95**, 637-648 (1998).
565. Tamura,T., Nagy,I., Lupas,A., Lottspeich,F., Cejka,Z., G.Schoofs, Tanaka,K., Moot,R.D. & Baumeister,W. The first characterization of a eubacterial proteasome: the 20S complex of *Rhodococcus*. *Curr. Biol.* **5**, 766-774 (1995).
566. Tamura,T., Tamura,N., Lottspeich,F. & Baumeister,W. Tricorn protease (TRI)interacting factor 1 from *Thermoplasma acidophilum* is a proline iminopeptidase. *FEBS Lett.* **398** , 101-105 (1996).
567. Tamura,T., Tamura,N., Cejka,Z., Hegerl,R., Lottspeich,F. & W.Baumeister. Tricorn protease-the core of a modular proteolytic system. *Science* **274**, 1385-1389 (1996).
568. Tanaka,A.S., Sampaio,M.U., Mentele,R., Auerswald,E.A. & Sampaio,C.A.M. Sequence of a new Bowman-Birk inhibitor from *Torresea acreana* seeds and comparison with *Torresea cearensis* trypsin inhibitor (TcT12). *Journal of Protein Chemistry* **15**, 553-560 (1996).
569. Teschauer,W.F., Mentele,R. & Sommerhoff,C.P. Primary Structure of A Porcine Leukocyte Serpin. *European Journal of Biochemistry* **217**, 519-526 (1993).
570. Teschemacher,H., Umbach,M., Hamel,U., Prärorius,K., Ahnert,G., Brantl,V., Henschen,A. & Lottspeich,F. Radioimmunoassays for beta-Casomorphins. *Peptides* (1984).
571. Teschemacher,H., Brantl,V., Henschen,A. & Lottspeich,F. Beta-Casomorphins - beta-casein fragments with opioid activity: detection and structure. In: *Beitrage zur Wirkstofforschung (Barth, ed.) in press*, (1991).
572. Teschemacher,J., Umbach,M., Hamel,U., Praetorius,K., Ahnert,H., Brantl,V., Lottspeich,F. & Henschen,A. No evidence for the presence of beta-casomorphins in human plasma after ingestion of cow's milk or milk products. *J. Dairy Res.* **53**, 135-138 (1986).
573. Theissen,H., Etzerodt,M., Reuter,R., Schneider,C., Lottspeich,F., Argos,P., Lührmann,R. & Philipson,L. Cloning of the human c-DNA for the U1 RNA associated 70K protein. *EMBO J.* **5**, 3209-3217 (1986).
574. Thierer,J., Riehle,H., Grebenstein,O., Binz,T., Herzog,S., N.Thiedemann, Stitz,L., Rott,R., Lottspeich,F. & Niemann,H. The 24K protein of Borna disease virus. *J. Gen. Virol.* **73**, 413-416 (1992).
575. Tholl,D., Ober,D., Martin,W., Kellermann,J. & Hartmann,T. Purification, molecular cloning and expression in *Escherichia coli* of homospermidine synthase from *Rhodopseudomonas viridis*. *European Journal of Biochemistry* **240**, 373-379 (1996).
576. Tiedemann,H., Lottspeich,F., Davids,M., Knöchel,S., Hoppe,P. & Tiedemann,H. The vegetalizing factor: a member of the evolutionary highly conserved activin family. *FEBS Lett.* **300**, 123-126 (1992).
577. Tittor,E.S., Schegk,J., Lottspeich,F. & Oesterhelt,D. Protein chemistry of halorhodopsin based on its cystein residue. In: *Chemistry of Peptides and Proteins (Voelter, W. ; Bayer, E. ; Ovchinnikov, Y. A. ; Ivanov, V. T. ; eds) Walter de Gruyter, Berlin-New York* **3**, 259-271 (1986).
578. Toda,K., Bozzaro,S., Lottspeich,F., Merkl,R. & Gerisch,G. Monoclonal anti-glycoprotein antibody that blocks cell adhesion in *Polyspondylium pallidum*. *Eur. J. Biochem.* **140**, 73-81 (1984).

579. Tormay,P., Wilting,R., Lottspeich,F., Mehta,P.K., P.Christen & Böck ,A. Bacterial selenocysteine synthase. *Eur. J. Biochem.* **254**, 655-661 (1998).
580. Töpfer-Petersen,E., Lottspeich,F. & Henschen,A. Carbohydrate Linkage Site in the beta-Chain of Human Fibrin. *Hoppe Seyler's Z. Physiol. Chem.* **357**, 1509-1513 (1976).
581. Töpfer-Petersen,E., Lottspeich,F. & Henschen,A. Evolutionary Aspects on Fibrinogen. *Abstr. 12th FEBS Meeting, Dresden* **963**, (1978).
582. Töpfer-Petersen,E., Lottspeich,F. & Henschen,A. Structural Aspects on the Glycosylation Sites in Human Fibrinogen. *Thrombosis and Haemostasis* **4, 41**, 671-676 (1979).
583. Töpfer-Petersen,E., Henschen,A. & Lottspeich,F. Carbohydrate Carrying Peptides Isolated from Human Fibrinogen. *In: Haemostasis and Thrombosis. (Neri Serneri, G. G. Prentice, C. R. M. ; eds.) Academic Press, London* 313-317 (1979).
584. Töpfer-Petersen,E., Lottspeich,F. & Henschen,A. Structural Aspects on the Glycosylation Sites in Human Fibrinogen. *Thromb. Haem.* **41**, 671-676 (1979).
585. Trautwein,T., Krauss,F., Lottspeich,F. & Simon,H. The (2R)-hydroxycarboxylate-viologen-oxidoreductase from *Proteus vulgaris* is a molybdenum-containing iron-sulfur protein. *Eur. J. Biochem* **222**, 1025-1032 (1994).
586. Troll,H., Malchow,D., Müller-Taubenberger,A., Humbel,B., Lottspeich,F., Ecke,M., Gerisch,G., Schmid,A. & R.Benz. Purification, functional characterization, and cDNA sequencing of mitochondrial porin from *Dictyostelium discoideum*. *J. Biol. Chem.* **267**, 21072-21079 (1992).
587. Tschochner,H., Lottspeich,F. & Sumper,M. The sexual inducer of *volvox carteri*: Chemical characterization and identification of its gene. *EMBO J.* **6**, 2203-2207 (1987).
588. Tsiotis,G., Lottspeich,F. & Michel,H. Isolation and characterization of cytochrome B6F complex from *synechocystis* PCC 6714. *in: Research in Photosynthesis (N. Maruta, ed.) Vol II*, 511-514 (1992).
589. Uhlmann,F., Lottspeich,F. & Nasmyth,K. Sister chromatid separation at the onset of anaphyse triggered by cleavage of the cohesin subunit *Scc1p*. *Nature* **400**, 37-42 (1999).
590. Ulbrecht,M., Kellermann,J., Johnson,J.P. & Weiss,E.H. Impaired Intracellular-Transport and Cell-Surface Expression of Nonpolymorphic Hla-e - Evidence for Inefficient Peptide Binding. *Journal of Experimental Medicine* **176**, 1083-1090 (1992).
591. Ullrich,J., Kellermann,J. & Schmidt,W.
Βιοχημιστρῳ ἀνδ Πηψσιολογῳ ὀφ Τηιαμιν Διπηοσπηατε Ενζῳμεσ., pp. 89-96
(ςXH-ςερλαγ, Ωεινηειμ,1990).
592. Vidmar,S.L., Lottspeich,F., Emod,I., Imhoff,M. & Keil,D. Collagen-binding domain of human plasma fibronectin contains a latent type IV collagenase. *Eur. J. Biochem.* **201** , 71-77 (1991).
593. Vidmar,S.L., Lottspeich,F., Emod,I., Planchenauld,T. & Keil-Dlouha,V. Latent fibronectin-degrading serine proteinase activity in N- terminal heparin-binding domain of human plasma fibronectin. *Eur. J. Biochem.* **201**, 79-84 (1991).
594. Vielmetter,J., Lottspeich,F. & Stürmer,C.A.O. The monoclonal antibody e587 recognizes growing (new and regenerating) retinal axons in the goldfish retinotectal pathway. *J. Neurosci.* **11**, 3581-3593 (1991).

595. Vogel,R., Kaufmann,J., Chung,D.W., Kellermann,J. & Mulleresterl,W. Mapping of the Prekallikrein-Binding Site of Human H-Kininogen by Ligand Screening of Delta-Gt11 Expression Libraries - Mimicking of the Predicted Binding-Site by Antiidiotypic Antibodies. *Journal of Biological Chemistry* **265**, 12494-12502 (1990).
596. Wagner,J.T., Lüdemann,H., Färber,P.M., Lottspeich,F. & Krauth,S. Glutamate dehydrogenase, the marker protein of Plasmodium falciparum. Cloning, expression and characterization of the malarial enzyme. *Eur. J. Biochem.* **258**, 813-819 (1998).
597. Waldinger,D., Eckerskorn,C., Lottspeich,F. & Cleve,H. Amino-acid sequence homology of a polymorphic cellular protein from human lymphocytes and the chaperonins from escherichia coli (groEL) and chloroplasts (rubisco-binding- protein. *Biol. Chem. Hoppe Seyler* **369**, 1185-1189 (1988).
598. Waldinger,D., Cleve,H., Eckerskorn,C., Lottspeich,F. & A.R.Subramanian. Characterisation of a human polymorphic lymphocyte protein (HuCha60): amino acid sequence analysis, cellular distribution and gene expression. *Abst. 1. Tagung der Ges. f. Humangenetik* 101 (1989).
599. Waldmann,T., Nimmegern,E., Nitsch,M., Peters,J., Pfeifer,G., Muller,S., Kellermann,J., Engel,A., Hartl,F.U. & Baumeister,W. The Thermosome of Thermoplasma-Acidophilum and Its Relationship to the Eukaryotic Chaperonin Tric. *European Journal of Biochemistry* **227**, 848-856 (1995).
600. Waldmann,T., Lupas,A., Kellermann,J., Peters,J. & Baumeister,W. Primary Structure of the Thermosome from Thermoplasma-Acidophilum. *Biological Chemistry Hoppe-Seyler* **376**, 119-126 (1995).
601. Weber,S., Lottspeich,F. & Köhl,J. An epitope of elongation factor Tu is widely distributed within the bacterial and archaeal Domains. *J. Bact.* **177**, 11-19 (1995).
602. Wegenka,U.M., Luttkien,C., Buschmann,J., Yuan,J., Lottspeich,F., Müller-Esterl,W., Schindler,C., Roeb,E., P.C.Heinrich & Horn,F. The interleukin-6-activated acute phase response factor is antigenically and functionally related to members of the signal transducer and activator of transcription (STAT) family. *Mol. Cell. Biol.* **14**, 3186-3196 (1994).
603. Wemmer,T., Kaufmann,H., H.-H.Kirch, Schneider,K., F.Lottspeich & Thompson,R. The most abundand protein of the stylar transmitting tract in potato (Solanum tuberosum L.) is an endochitinase. *Planta* **194**, 264-273 (1994).
604. Wenzel,T., Eckerskorn,C., Lottspeich,F. & Baumeister,W. Existence of a molecular ruler in proteasomes suggested by analysis of degradation products. *FEBS Lett.* **349**, 205-209 (1994).
605. Werner,B., Lottspeich,F., Oster,U. & Rüdiger,W. The effect of abscisic acid (ABA) on the two-dimensional protein pattern of Amaranthus caudatus var. viridis during germination. *Abstr. Elektrophorese Forum '89* (1989).
606. Werner,B., Andersson,K., Lottspeich,F. & Kehl,M. Zwei-dimensionale Gelelektrophorese: Horizontale isoelektrische Fokussierung in der ersten Dimension und vertikale SDS-PAGE in der zweiten Dimension. *User Bulletin Pharmacia* (1990).
607. Werner,B., Oster,U., Rüdiger,W. & Lottspeich,F. Analysis of germination-related Amaranthus caudatus proteins by two dimensional gel electrophoresis. *Abstr. Halle* (1991).
608. Werner,B., Oster,U., Rüdiger,W. & Lottspeich,F. Identifizierung keimungsspezifischer Proteine von Amaranthus caudatus mittels zweidimensionaler Gelelektrophorese. *In: Elektrophorese Forum 1991 (Radola, B. J., Ed.)* 378-382 (1991).

609. Weyer,A., Schäfer,W., Lottspeich,F. & Michel,H. The Cytochrome Subunit of the Photosynthetic Reaction Center from *Rhodospseudomonas viridis* is a Lipoprotein. *Biochemistry* **26**, 1909-2914 (1987).
610. Weyer,K.A., Michel,H. & Lottspeich,F. The primary structure of the cytochrome of the photosynthetic reaction centre from *Rhodospseudomonas viridis*. *Abstr. Grindelwald* (1985).
611. Weyer,K.A., Lottspeich,F., Schäfer,W. & Michel,H. The fatty acid-anchored four heme cytochrome of the photosynthetic reaction center from the purple bacterium *Rhodospseudomonas viridis*. In : *Proceedings of Int. Symposium 1 of "Cytochrome systems". Molecular biology and bioenergetics* (Papa, S. ; Chance, B. ; Ernster, L. ; eds.) *Plenum Press, New York-London* 325-331 (1987).
612. Weyer,K.A., Lottspeich,F., Gruenberg,H., Lang,F., D.Oesterhelt & Michel,H. Amino acid sequence of the cytochrome subunit of the photosynthetic reaction center from the purple bacterium *Rhodospseudomonas viridis*. *EMBO J.* **6**, 2197-2202 (1987).
613. White,H., Feicht,R., Huber,C., Lottspeich,F. & Simon,H. Purification and some properties of the tungsten containing carboxylic acid reductase from *Clostridium formicoaceticum*. *Biol. Chem. Hoppe-Seyler* **372**, 999-1005 (1991).
614. White,H., Strobl,G., Feicht,R., Lottspeich,F. & Simon,H. The tungsten or molybdenum containing carboxylic acid reductase from closely related microorganisms show rather different properties. *Biol. Chem. Hoppe Seyler* **372**, 777-778 (1991).
615. Wiese,M., Ilg,T., Lottspeich,F. & Overath,P. Ser/Thr-rich repetitive motifs as targets for phosphoglycan modifications in *Leishmania mexicana* secreted acid phosphatase. *EMBO J.* **14**, 1067-1074 (1995).
616. Wildenauer,D.B., Körschenhausen,D., Hoechtlen,W., M Ackenheil, Kehl,M. & Lottspeich,F. Analysis of cerebrospinal fluid from patients with psychiatric and neurological disorders by two-dimensional electrophoresis: Identification of disease-associated polypeptides as fibrin fragments. *Electrophoresis* **12**, 487-492 (1991).
617. Wilhelm,B., Keppler,C., Hoffbauer,G., Lottspeich,F., Linder,D., Meinhardt,A., Aumüller,G. & Seitz,J. Cytoplasmic Carbonic anhydrase II of rat coagulating gland is secreted via the apocrine export mode. *J. Histochem. Cytochem.* **46**, 505-511 (1998).
618. Wimmer,B., Lottspeich,F., Ritter,J. & Bronnenmeier,K. A novel type of thermostable alpha-D-glucosidase from *Thermoanaerobacter thermohydrosulfuricus* exhibiting maltodextrinohydrolase activity. *Biochem. J.* **328**, 581-586 (1997).
619. Wimmer,B., Lottspeich,F., der Klei,I.v., Veenhuis,M. & Gietl,C. The glyoxysomal and plastid molecular chaperones (70-kDA heat shock protein) of watermelon cotyledons are encoded by a single gene. *Proc. Natl. Acad. Sci. USA* **94**, 13624-13629 (1997).
620. Witke,W., Schleicher,M., Lottspeich,F. & Noegel,A. Studies on the transcription, translation, and structure of the alpha-actinin in *Dictyostelium discoideum*. *J. Cell. Biol.* **103**, 969-975 (1986).
621. Woith,W., Herrmann,M., Nüsslein,I., Schlötzer-Schrehardt,U., Lottspeich,F. & Manger,B. A novel isoform of the human transferrin receptor produced by alternative splicing. *Eur. J. Haematol.* **submitted**, (1998).
622. Wolf,S., Lottspeich,F. & Baumeister,W. Ubiquitin found in the archaebacterium *Thermoplasma acidophilum*. *FEBS Lett.* **326**, 42-44 (1993).

623. Wöhl,T., Klier,H., Ammer,H., Andersson,K., Kehl,M. & F.Lottspeich. 2D Analysis of an eukaryotic translation initiation factor using a spreaded immobilized pH gradient. *In: Elektrophorese Forum 1991 (Radola, B. J. , Ed.)* 373-377 (1991).
624. Wöhl,T., Baur,M., Friedl,A.A. & Lottspeich,F. Chromosomal localization of the HYP2-gene in *Saccharomyces cerevisiae* and use of pulsed-field gel electrophoresis for detection of irregular recombination events in gene disruption experiments. *Electrophoresis* **13**, 651-653 (1992).
625. Wöhl,T., Klier,H., Ammer,H., Lottspeich,F. & Magdolen,V. The HYP2 gene of *Saccharomyces cerevisiae* is essential for aerobic growth: characterization of different isoforms of the hypusin-containing protein Hyp2p and analysis of gene disruption mutants. *Mol. Gen. Genetics* **241**, 305-311 (1993).
626. Wöhl,T., Klier,H. & Lottspeich,F. Detection of nonfunctional overexpression gene products using two-dimensional gel electrophoresis with a narrow pH gradient. *Electrophoresis* **16**, 876-878 (1995).
627. Wöhl,T., Brecht,M., Lottspeich,F. & Ammer,H. The use of genomic DNA probes for in-gel hybridization. *Electrophoresis* **16**, 739-741 (1996).
628. Wösten,H.A.B., Bohlmann,R., Lottspeich,F., Bölker,M. & R.Kahmann. A novel class of small amphipathic peptides affect aerial hyphal growth and surface hydrophobicity in *Ustilago mayadis*. *EMBO J.* **16**, 4274-4281 (1996).
629. Wunderer,G., Walter,I., Eschenbacher,B., Lang,M., Kellermann,J. & Kindermann,G. Ile-Ser-Bradykinin Is An Aberrant Permeability Factor in Various Human-Malignant Effusions. *Biological Chemistry Hoppe-Seyler* **371**, 977-981 (1990).
630. Zhu,X.X., Kozarsky,K., Strahler,J.R., Eckerskorn,C., F.Lottspeich, Melhem,R., Lowe,J., Fox,D.A., Hanash,S.M. & G.F.Atweh. Molecular cloning of a novel human leukemia associated gene: evidence of conservation in animal species. *J. Biol. Chem.* **264**, 14556-14560 (1989).
631. Zimmer,G., Lottspeich,F., Maisner,A., H.-D.Klenk & Herrler,G. Molecular characterization of gp40, a mucin-type glycoprotein from the apical plasma membrane of Madin-Darby canine kidney cells. *Biochem. J.* **326**, 99-108 (1997).
632. Zischka,H., Oehme,F., Pintsch,T., Ott,A., Keller,H., Kellermann,J. & Schuster,S.C. Rearrangement of cortex proteins constitutes an osmoprotective mechanism in *Dictyostelium*. *Embo Journal* **18**, 4241-4249 (1999).
633. Zverlov,V.V., Velikodvorskaya,G.V., Schwarz,W.H., Bronnenmeier,K., Kellermann,J. & Staudenbauer,W.L. Multidomain structure and cellulosomal localization of the *Clostridium thermocellum* cellobiohydrolase CbhA. *Journal of Bacteriology* **180**, 3091-3099 (1998).
634. Zverlov,V.V., Velikodvorskaya,G.A., Schwarz,W.H., Kellermann,J. & Staudenbauer,W.L. Duplicated *Clostridium thermocellum* cellobiohydrolase gene encoding cellulosomal subunits S3 and S5. *Applied Microbiology and Biotechnology* **51**, 852-859 (1999).
635. Zwickl,P., Pfeifer,G., Lottspeich,F., Kopp,F., Dahlmann,B. & Baumeister,W. Electron microscopy and image analysis reveal common principles of organization in two large protein complexes: groEL- type proteins and proteasomes. *J. Struc. Biol.* **103**, 197-203 (1990).
636. Zwickl,P., Lottspeich,F., Dahlmann,B. & Baumeister,W. Cloning and sequencing of the gene encoding the large (alpha-) subunit of the proteasome from *Thermoplasma acidophilum*. *FEBS Lett.* **278**, 217-221 (1991).

637. Zwickl,P., Grziwa,A., Pühler,G., Dahlmann,B., Lottspeich,F. & Baumeister,W. Primary structure of the Thermoplasma proteasome and its implications for the structure, function, and evolution of the multicatalytic proteinase. *Biochemistry* **31**, 964-972 (1992).
638. Zwickl,P., Lottspeich,F. & Baumeister,W. Expression of functional Thermoplasma acidophilum proteasomes in Escherichia coli. *FEBS. Lett.* **312**, 157-160 (1992).